

## Benchmarks on the brane

M. J. Duff<sup>1</sup>

*Michigan Center for Theoretical Physics,  
Randall Laboratory, Department of Physics, University of Michigan,  
Ann Arbor, MI 48109-1120*

### Abstract

Branes now occupy center stage in theoretical physics as microscopic components of M-theory, as the higher-dimensional progenitors of black holes and as entire universes in their own right. Their history has been a checkered one, however. Here we list some of the milestones, starting with Dirac's 1962 paper. Asim Barut was an early pioneer.

*ASIM BARUT MEMORIAL LECTURE, BOGAZICI UNIVERSITY, ISTANBUL,  
OCTOBER 2002*

---

<sup>1</sup>Research supported in part by DOE Grant DE-FG02-95ER40899

# Contents

1	Branes and Barut	2
2	Nomenclature	2
3	What to include?	3
4	Bosonic p-branes 1962-1986	5
5	Super p-branes 1986-1995	6
6	M-theory 1995-	8
7	Brane new world 2000-	10
8	Acknowledgements	11
A	Oxford English Dictionary: Brane	11
B	Oxford English Dictionary: M-theory	12
C	Where M stands for...	13

*“I know of no better way of teaching science than through its history”*

Steven Weinberg

## 1 Branes and Barut

A perusal of the titles of papers appearing in the theory preprint archives [1] reveals that *brane* now rivals *string* as the noun of choice. This is not without good reason. Branes now occupy center stage in theoretical physics as microscopic components of M-theory, as the higher-dimensional progenitors of black holes and as entire universes in their own right. However, while numerous chronicles of string theory may be found in the literature, there is comparatively little on branes. Their history has been a checkered one, having been alternately revoked, reviled and revered. Here we list some of the milestones, starting with Dirac’s 1962 paper.

This a particularly appropriate theme for this *Asim Barut Memorial Lecture* since Asim was an early pioneer of brane theory [2, 3, 4, 5, 6, 7, 8, 9, 10]. I first met Asim at the International Center for Theoretical Physics in Trieste in 1972 where, like some other students of Abdus Salam, I took my first postdoc. Asim and I had frequent interactions at the time and my memories are of (a) his continuing the great Turkish tradition of group theory and its applications to quantum field theory and particle physics, and (b) my playing along side him in the ICTP soccer team, organized by Giuseppe Furlan. Moreover, on a later visit to Trieste in 1980 we discussed our common interest in the quantization of p-forms, which was later to be of relevance for p-branes. He was an obvious choice of speaker when Pope, Sezgin and I organized the 1989 Trieste conference on supermembranes. It is an honor to be delivering this year’s Asim Barut Memorial Lecture.

## 2 Nomenclature

According to the Oxford English Dictionary [11], first usage of *brane* was by Duff, Inami, Pope, Sezgin and Stelle in the May 1987 Trieste/CERN preprint published the following year in Nuclear Physics B [73]. See Appendix A. The word had been invoked earlier by Townsend in an unpublished lecture at the Trieste Spring School, April 1987. The lecture was intended to be entitled *P-branes for pea-brains*, but organizer Ergin Sezgin balked (at pea-brains, not p-branes). In this paper we shall always say *5-brane*

rather than *fivebrane* and so on.

The names given to various branes have evolved as their place in the scheme of things has become clearer. For example, *M-theory* is a unified theory involving branes that subsumes D=11 supergravity and the five D=10 superstring theories. See Appendix B. Following its discovery, the D=11 supermembrane and super 5-brane became known as the *M2-brane* and *M5-brane* respectively. (Discrete subgroups of) the Cremmer-Julia symmetries conjectured to be dualities of the M2-brane became known as *U-dualities* of M-theory. Similarly the Type II p-branes, first discovered as closed string solitons carrying Ramond-Ramond charge, are now known as *D-branes* following the realization by Polchinski [135] that they admit the dual open string interpretation of *Dirichlet-branes* [85, 86]: surfaces of dimension p on which the open strings can end<sup>2</sup>. At the same time the heterotic and Type II 5-branes carrying Neveu-Schwarz charge were renamed *NS-branes* and the fundamental string the *F-string* to distinguish it from the D-string. The D=6 dyonic string became known as the D1-D5-brane system. In charting the history of these various branes we shall adopt the convention of using their modern names. Moreover, we reserve the name *D-brane* for the 1/2 BPS Type II branes whose mass equals their charge and use the name *black branes* for those whose mass exceeds their charge.

Reviews on branes may be found in [71, 88, 121, 176, 179, 195, 208]. Reviews of *M-theory* may be found in [136, 169, 177, 202, 203, 204, 209].

### 3 What to include?

Although, strictly speaking, strings are just 1-branes, we will not here attempt a history of string theory since this has been covered exhaustively elsewhere. For recent examples see [12, 13, 14]. We have, however, included one or two milestones in string theory that have had a bearing on branes. Similarly, we have included some discoveries in supersymmetric field theories and supergravity that have proved influential in the development of branes. In particular, the histories of Kaluza-Klein compactifications, *dualities* and branes are all intertwined.

---

<sup>2</sup>“No talk at Texas A&M would be complete without mention of supermembranes. If one compactifies the Type I SO(32) superstring, which is oriented, and sends  $r \rightarrow 0$ , one obtains a theory with a super-D-brane...” J. Polchinski, Strings 89, Texas A&M, March 1989 [85].



“Sorry. I know you’ve got charm but I’m really into branes.”

Copyright by Peaco Todd, 2000.

*Domain walls* have played an important part in the study of topological defects and have sometimes been invoked in a cosmological setting as the seeds of galaxy formation. They were first considered, along with cosmic strings and magnetic monopoles, as solitons of flat-space grand unified theories. Their development was thus separate from the gravitational branes that are currently studied in M-theory, but there has recently been a good deal of overlap and so they are included in the broad definition of branes.

Our year-by-year summary is contained in the following sections which have been divided onto four eras: (1) *Bosonic p-branes 1962-1986*, corresponding to the years between Dirac’s seminal paper and the discovery of super p-branes; (2) *Super p-branes 1986-1995*, corresponding to the period when the dominant view was that brane theory and eleven dimensions represented a different approach to unification than ten-dimensional superstrings; (3) *M-theory 1995-*, which followed the discovery that both approaches are, in fact, part of a bigger framework; (4) *Brane new world*<sup>3</sup> 2000-, the present era of brane and M-theory inspired attempts to understand the standard model of particle physics, cosmology and black holes (I have not attempted to detail these recent developments). The citations quoted in a given year include not only the original papers published in that year but also important subsequent papers on the

---

<sup>3</sup>This title is borrowed from [205, 206], with apologies to William Shakespeare and Aldous Huxley.

same topic that were published in later years. Needless to say, the topics chosen reflect the bias of the author.

## 4 Bosonic p-branes 1962-1986

### 1962

The Dirac action for a closed relativistic membrane as the 2+1 dimensional world-volume swept out in spacetime [15]

### 1971

The Nambu-Goto action for a closed relativistic string as the 1+1 dimensional worldsheet area swept out in spacetime [16, 17]

### 1973

Dual models for 3-branes based on the the conformal group  $SU(2, 2)$  [18, 55]

### 1974

Difficulties in extending dual models from strings to branes [19, 61]

### 1976

Discovery of supergravity [20, 21]

The role of domain walls in cosmology [22, 40]

Mechanics of free relativistic bosonic branes [23]

Local supersymmetry for spinning particles [24]

### 1977

The Howe-Tucker action for a closed relativistic membrane, with auxiliary metric [25]

S-duality (strong/weak coupling) in D=4 super gauge theories [26, 28]

### 1978

Discovery of D=11 supergravity [27]

Spinning branes: branes with worldvolume supersymmetry [29, 84]

A bag model involving a 3-form coupling [30]

### 1979

Toroidal compactification of D=11 supergravity [31]

Cremmer-Julia hidden symmetries whose discrete subgroups were subsequently known as U-dualities [31]

3-form potential of D=11 supergravity hints at a super 2-brane [32]

**1980**

Supergravity vacua with 4-form flux and the cosmological constant [33, 34]  
Freund-Rubin vacua [35]

**1981**

The Polyakov action for a closed relativistic string, with auxiliary metric [36]  
Dual formulation of  $D = 10$  supergravity with 6-form potential [37]

**1982**

Gauge-fixed branes and area-preserving diffeomorphisms [38, 39, 60]  
Early braneworld proposal [41]

**1983**

Spacetime as a 3-brane in higher dimensions [42]  
Discovery of kappa symmetry for point particles [43]  
K3 compactification of D=11 supergravity; moduli as scalar fields [44]

**1984**

The Green-Schwarz superstring: a string with spacetime supersymmetry [45]  
M-wave solution of D=11 supergravity [46]  
Anomaly cancellation in D=10 superstring theory [47]  
T-duality for bosonic and heterotic strings [48, 56, 69, 70]

**1985**

More spacetime as a 3-brane [49]  
Dirac quantization rules for p-branes and their duals [50, 57]  
M-monopole solution of D=11 supergravity [51]  
Discovery of the heterotic string [52]  
Calabi-Yau compactification of the heterotic string [53]  
Spacetime as a 3-brane in a 5-dimensional bulk; trapping on the brane [54]

## **5 Super p-branes 1986-1995**

**1986**

Massive Type IIA supergravity [58]  
Kappa symmetry and the first super p-brane [59]  
Branes as solitons [59]

**1987**

The worldvolume action of the M2-brane [62, 72]

Type IIA superstring in  $D = 10$  from the M2-brane in  $D = 11$  [63]

The brane-scan: a plot of spacetime dimension  $D$  versus brane worldvolume dimension  $d$  allowed by supersymmetry (assuming scalar supermultiplets) [64]

Massless spectrum of the M2-brane [65, 73]

“The membrane at the end of the universe”: a CFT on the boundary of AdS [66, 71, 76, 81, 196]

Brane quantization [67]

More spacetime as a 3-brane [68]

**1988**

*Brane* appears in print [73]

Symmetries of bosonic branes [74]

More branes as solitons [75]

Heterotic NS 5-brane conjectured [71]

M2-branes and the cosmological constant [77]

Matrix model of the M2-brane [78, 82]

Super  $p$ -branes and the signature of space-time [79]

**1989**

Trieste conference on supermembranes [80]

IIA/IIB, open/closed and oriented/unoriented string T-duality [83, 86]

Dirichlet branes: surfaces on which open string end [85, 86, 87]

Supersymmetry algebra for extended objects [89]

**1990**

S-duality in four-dimensional string theory [90, 107, 116]

NS-string solution of  $D=10$  supergravity [91]

The heterotic gauge 5-brane solution of  $D=10$  supergravity [92]

U-duality conjecture that the Cremmer-Julia hidden symmetries of  $D=11$  supergravity play the same role for M2-branes that S and T duality play for strings [93, 94, 95]

Monopoles, strings and domain walls in  $D=4$  from wrapped 5-brane [92, 106, 109, 115]

**1991**

String/5-brane duality in  $D=10$ : the role of the 5-brane as the magnetic dual of the string [96, 102, 98]



NS 5-brane solution of D=10 supergravity [97]  
D-branes as closed string solitons [99, 101, 104, 108, 121]  
Gauge fields on the D5-branes worldvolume [99, 101, 104, 108]  
Black p-brane solutions of Type II supergravities [100, 105, 113, 159]  
The heterotic string as a soliton [102, 125, 131, 130]  
M2-brane solution of D=11 supergravity [103]  
( $\mathcal{N} = 4, d = 4$ ) gauge fields on the D3-brane worldvolume [104]

### 1992

The M5-brane solution of D=11 supergravity [105]  
The new brane scan: allowing for vector (D-brane) and tensor (M5-brane) world-volume supermultiplets as well as scalar [108, 121]  
D2-brane in D=10 from M2-brane in D=11, by dualizing a worldvolume scalar into a vector [108]

### 1993

Black brane instabilities [110]  
ADM mass formula for black branes [111]  
String/string duality in D=4: S-duality for the fundamental string is T-duality for a dual solitonic string [112, 122]  
The self-dual string solution of D=6 supergravity [113]  
Dual heterotic string in D=6 from wrapping 5-brane on K3 [118]  
AdS as the near-horizon geometry of p-branes [114, 117, 119]

### 1994

U-duality conjecture for Type II string: demonstration that elementary and soliton states of ( $\mathcal{N} = 8, D = 4$ ) supergravity fall into U-duality multiplets, with an explanation in terms of wrapped M2- and M5-branes [120]  
IIA string compactified on K3 dual to heterotic string compactified on  $T^4$  [120, 132]

## 6 M-theory 1995-

### 1995

Strong/weak coupling duality from the dual string [122]  
D=11 Kaluza-Klein modes as extreme black holes of Type IIA string [123]  
D=11 as strong coupling limit of Type IIA string [123, 124]

Suggested D=11 unification of all five ten-dimensional superstrings, with D=11 supergravity as its low-energy limit (subsequently known as M-theory) [124]

Heterotic and Type I strings related by strong/weak coupling duality [124, 131, 138]

The anti-self dual (tensionless) string in D=6 [132]

Black hole condensation, wrapped branes and topology change [126, 127]

Dyonic string (also interpretable as D1-D5 system) solution of D=6 supergravity [128]

M5-brane worldvolume anomaly [129, 170, 189]

D=11 origin of string/string duality: a one-loop test [129]

M5 tension proportional to square of M2 tension [129, 136, 166]

Role of branes in non-perturbative string theory [133]

New p-brane solutions of  $D \leq 9$  supergravity [134]

Dirichlet-branes and Ramond-Ramond charge [135]

*M-theory* appears in print [136, 139, 147]

Further ramifications of M-theory [136, 169]

SU(N) gauge theories from bound state of N D-branes [137]

Heterotic string from M-theory on  $S^1/Z_2$  [139, 157]

The D8-brane solution of massive Type IIA supergravity [140]

D-instanton and D7-brane solutions of Type IIB supergravity [141]

D-branes and topological field theories [142]

All p-brane solutions of  $4 \leq D \leq 11$  supergravity [143]

Open p-branes [144, 145]

More D-branes from M-branes: D=11 derivation of D2 worldvolume action [145]

Branes within branes [146]

5-branes and M-theory on an orbifold [147]

## 1996

Microscopic D1-D5 origin of the Bekenstein-Hawking entropy [148]

Evidence for heterotic/heterotic duality [149, 153, 165]

D=6 heterotic phase transitions [149, 154, 155]

Orientifolds and D-branes [150]

F-theory [151]

Strong coupling of Calabi-Yau compactification [152]

Intersecting branes [156, 162, 163, 164]

Phase transitions in M-theory and F-theory [158]

BPS quantization of the 5-brane [160]  
Classification of supergravity domain walls [161]  
Branes with both worldvolume and spacetime supersymmetry [167]  
Worldvolume equations of the M5-brane [167, 173, 172]  
D-branes and short distances in string theory [168]  
M-theory as a matrix model [171, 182]  
Worldvolume actions for D-branes [172, 174, 175]  
Rotating brane solutions of D=11 supergravity [178]

### 1997

5-brane derivation of Seiberg-Witten theory [180]  
Branes and the dynamics of QCD [181]  
D-branes and K-theory [183, 194]  
D-branes and the noncommutative torus [184]  
The AdS/CFT correspondence [185, 187, 188]

### 1998

Trieste conference on super 5-branes [186]  
ADD large extra dimensions [190, 191]  
The brane anti-brane system and tachyon condensation [192, 193]

### 1999

Randall-Sundrum:  $AdS_4$ , Minkowski or  $dS_4$  spacetime as 3-brane in  $AdS_5$  [197, 198, 207]  
D-branes and non-commutative geometry [199]  
Brane-world black holes [200]  
Brane-world cosmology [201]

## 7 Brane new world 2000-

Numerous developments in the brane-world:

Brane-inspired particle phenomenology: attempts to embed the standard model in M-theory via intersecting branes; strong, weak and electromagnetic forces confined to a 3-brane in higher-dimensional bulk; insights into QCD from the AdS/CFT correspondence.

Brane cosmology: the universe as a 3-brane; attempts to explain inflation, dark energy and an accelerating universe; cosmic strings attached to branes; the Big Bang

as a brane-collision.

Braney black holes: deeper brane-inspired understanding of black hole entropy and the information paradox, especially via the AdS/CFT correspondence.

## 8 Acknowledgements

I would like to thank the Barut family for this invitation and Rami Gueven for his kind hospitality during my visit to Istanbul.

## A Oxford English Dictionary: Brane

**brane** , n. Physics.

/Brit. breIn, U.S. breIn/[Shortened ; membrane n.

I. Simple uses.

1. An extended object with any given number of dimensions, of which strings in string theory are examples with one dimension. Also with prefixed numbers, or symbols representing numbers, as 2-brane, p-brane.

Quot. 1988 is from a paper received for publication earlier (18 May 1987) than quot. 1987 (1 Aug.).

**1987** Physics Lett. B. 198 441 The extension of the spacetime supersymmetric Green-Schwarz covariant superstring action to p-dimensional extended objects (p-branes) is possible if and only if the on-shell p-dimensional Bose and Fermi degrees of freedom are equal.

**1988** M. Duff et al. in Nucl. Physics B. 297 516 We shall be concerned only with extended objects of one time and two space dimensions, i.e. ‘2-branes’... Possible ‘p-brane’ theories exist whenever there is a closed  $p + 2$  form in superspace.

**1996** Sci. Amer. Jan. 75/2 He [sc. M. J. Duff] found that a five-dimensional membrane, or a ‘five-brane’, that moved through a 10-dimensional space could serve as an alternative description of string theory.

**1997** New Scientist 18 Jan. 35/2 A string is a one-brane, an ordinary membrane like a soap bubble is a two-brane, and so on.

**1998** Independent on Sunday 19 July (Sunday Rev.) 56/2 With extra dimensions thrown in, strings turn into membranes..—and, to complicate things further, these membranes are also called ‘p-branes’, where ‘p’ is the number of dimensions.

**2000** Nature 2 Mar. 28/3 One of the key ideas..is that the four-dimensional space-time we observe at everyday scales is actually the evolution in time of a three-brane moving through an ambient space-time of higher dimension.

II. Compounds.

2. **brane-world**, a world model in which our space-time is the result of a three-brane moving through a space-time of higher dimension, with all interactions except gravity being confined to the three-brane.

**1999** Z. Kakushadze & S.-H. H. Tye in Nucl. Physics B. 548 181 For appropriate values of  $V_{p-3}$  and  $V_{p-9}$  all the known experimental constants appear to be satisfied, and this scenario, which we will refer to as ‘Brane World’, a priori seems to be a viable possibility for describing our universe.

**2001** Nature 28 June 987/3 Other variations of brane-world theory are being used to tackle questions about the evolution of the Universe.

## B Oxford English Dictionary: M-theory

**M-theory**, n. Particle Physics.

Brit.  $\epsilon m\theta i e r i$  , U.S.  $\epsilon m\theta i e r i$ ,  $\epsilon m\theta e r i$

[j M (app. representing MEMBRANE n.) + THEORY n.1]

A unified theory involving branes that subsumes eleven-dimensional supergravity and the five ten-dimensional superstring theories.

Quot. 1996 is from a paper received for publication earlier (23 Oct. 1995) than quot. 1995 (17 Dec.).

**1995** Re: Confinement: Massive Gauge Bosons in sci.physics (Usenet newsgroup) 17 Dec., String theorists are a mathematically sophisticated crew, so I’m sure they would enjoy an abstract description of the M-theory (as it’s called) from which one could then derive all its varied guises.

**1996** J. H. Schwarz in Physics Lett. B. 367 97/1 If one assumes the existence of a fundamental theory in eleven dimensions (let’s call it the M theory), this provides a powerful heuristic basis for understanding various results in string theory. [Note] This name was suggested by E. Witten.

**1998** Sci. Amer. Feb. 59/2 Despite all these successes, physicists are glimpsing only small corners of M-theory; the big picture is still lacking.

**2002** U.S. News & World Rep. 6 May 59/1 M-theory..holds that our universe may

occupy just part of a many-dimensional mega-universe. In that picture, it could be shadowed by another universe on a different brane- M-theory jargon for 3-D membrane.

## C Where M stands for...

More M-etymology:

“Recent results indicate that if one assumes the existence of a fundamental theory in eleven dimensions (let’s call it the ‘M-theory’ [This name was suggested by E. Witten]), this provides a powerful heuristic basis for understanding various results in string theory.” J. Schwarz, hep-th/9510101.

“As it has been proposed that the eleven-dimensional theory is a supermembrane theory but there are some reasons to doubt that interpretation, we will non-committally call it M-theory, leaving for future the relation of  $M$  to membranes.” P. Horava and E. Witten, hep-th/9510209

“For instance, the eleven-dimensional ‘M-theory’ (where M stands for magic, mystery or membrane, according to taste) on  $X \times S^1$ , with  $X$  any ten-manifold, is equivalent to Type IIA on  $X$ , with a Type IIA string coupling constant that becomes small when the radius of  $S^1$  goes to zero.” E. Witten, hep-th/9512219

## References

- [1] <http://arxiv.org/archive/hep-th>
- [2] A. O. Barut, Acta. Phys. Austriaca, Suppl. **XI** (1973) 565.
- [3] A. O. Barut, *Relativistic composite systems and extensible models of fields and particles*, in Mathematical Physics and Physical Mathematics, ed K. Maurin and R. Raczka (D. Riedel, 1976), p. 323.
- [4] A. O. Barut and M. Pavsic, *The spinning minimal surfaces without the Grassmann variables*, Lett. Math. Phys. **16** (1988) 333.
- [5] A. O. Barut, *Membranes, strings, extended elementary particles as singularities of fields*, in *Supermembranes and Physics in 2 + 1 Dimensions*, Proceedings of the supermembrane workshop, ICTP, Trieste, July 1989, eds M. J. Duff, C. N. Pope and E. Sezgin, (World Scientific, 1990).

- [6] A. O. Barut, *Theories of extended objects and composite models of particles*, IC-92-75, Int. Symp. on Extended Objects, Tokyo, Japan, Mar 1992.
- [7] A. O. Barut and M. Pavsic, *A Covariant Canonical Decomposition Of The Bosonic And Spinning Extended Objects With Electric Charge*, Mod. Phys. Lett. **A7** (1992) 1381.
- [8] A. O. Barut and M. Pavsic, *Dirac's shell model of the electron and the general theory of moving relativistic charged membranes*, Phys. Lett. **B306** (1993) 49.
- [9] A. O. Barut and M. Pavsic, *Radiation reaction and the electromagnetic energy-momentum of moving relativistic charged membranes*, Phys. Lett. **B331** (1994) 45.
- [10] A. O. Barut, *Strings And Membranes In Electron Theory*, Gurse Memorial Conference I: On Strings and Symmetries, Istanbul, Turkey, 6-10 Jun 1994.
- [11] *Oxford English Dictionary*, Ed. John Simpson, 3rd ed. OED Online. Oxford University Press.  
<http://dictionary.oed.com>
- [12] E. Witten, *The past and future of string theory*, Prepared for Workshop on Conference on the Future of Theoretical Physics and Cosmology in Honor of Steven Hawking's 60th Birthday, Cambridge, England, 7-10 Jan 2002.
- [13] G. Veneziano, *La theorie des cordes: une imprevisible histoire*, Seminaire Poincare, Strings 2004, Paris
- [14] J. Schwarz *String theory: past, present and future*, Seminaire Poincare, Strings 2004, Paris
- [15] P. A. M. Dirac, *An extensible model of the electron*, Proc. Roy. Soc. **A268** (1962) 57.
- [16] Y. Nambu, *Duality and hydrodynamics*, Lectures at the Copenhagen conference, 1970.
- [17] T. Goto, *Relativistic quantum mechanics of one-dimensional mechanical continuum and subsidiary condition of dual resonance*, Prog. Theor. Phys. **46** (1971) 1560.
- [18] F. Mansouri, *Dual models with global SU(2,2) symmetry*, Phys. Rev. D **8** (1972) 1159.

- [19] R. J. Rivers, *Conformal algebraic explanation for the failure of dual theories with satellites*, Phys. Rev. D **9**, 2920 (1974).
- [20] S. Ferrara, D. Z. Freedman and P. van Nieuwenhuizen, *Progress toward a theory of supergravity*, Phys. Rev. **D13** (1976) 3214.
- [21] S. Deser and B. Zumino, *Consistent supergravity*, Phys. Lett. **B62** (1976) 335.
- [22] T. W. Kibble, *Topology of cosmic domains and strings*, J. Phys. A **9**, (1976) 1387.
- [23] P.A. Collins and R.W. Tucker, *Classical and quantum mechanics of free relativistic membranes*, Nucl. Phys. **B112** (1976) 150.
- [24] L. Brink, S. Deser, B. Zumino, P. Di Vecchia and P. S. Howe, *Local supersymmetry for spinning particles*, Phys. Lett. B **64** (1976) 435.
- [25] P. S. Howe and R. W. Tucker, *A Locally Supersymmetric And Reparametrization Invariant Action For A Spinning Membrane*, J. Phys. **A10** (1977) L155.
- [26] C. Montonen and D. Olive, *Magnetic monopoles as gauge particles*, Phys. Lett. **B72** (1977) 117.
- [27] E. Cremmer, B. Julia and J. Scherk, *Supergravity theory in eleven-dimensions*, Phys. Lett. **B76** (1978) 409.
- [28] E. Witten and D. I. Olive, *Supersymmetry algebras that include topological charges*, Phys. Lett. B **78**, 97 (1978).
- [29] P. S. Howe and R. W. Tucker, *Local Supersymmetry In (2+1)-Dimensions. 2. An Action For A Spinning Membrane*, J. Math. Phys. **19**, (1978) 981.
- [30] A. Aurilia, D. Christodoulou and F. Legovini, *A Classical Interpretation Of The Bag Model For Hadrons*, Phys. Lett. B **73**, (1978) 429.
- [31] E. Cremmer and B. Julia, *The SO(8) supergravity*, Nucl. Phys. **B159** (1979) 141.
- [32] B. Julia, *Extra Dimensions: Recent Progress Using Old Ideas*, LPTENS 79/15  
*Invited lecture given at 2nd Marcel Grossman Meeting, Trieste, Italy, Jul 5-11, 1979*
- [33] M. J. Duff and P. van Nieuwenhuizen, *Quantum inequivalence of different field representations*, Phys. Lett. B **94**, 179 (1980).
- [34] A. Aurilia, H. Nicolai and P. K. Townsend, *Hidden constants: the theta parameter of QCD and the cosmological constant of N=8 Supergravity*, Nucl. Phys. B **176** 509 (1980).



- [35] P. G. O. Freund and M. A. Rubin, *Dynamics Of Dimensional Reduction*, Phys. Lett. B **97** (1980) 233.
- [36] A. M. Polyakov, *Quantum geometry of bosonic strings*, Phys. Lett. **103B** (1981) 207, 211.
- [37] A. H. Chamseddine, *Interacting supergravity in ten-dimensions: the role of the six-index gauge field*, Phys. Rev. D **24**, (1981) 3065.
- [38] J. Goldstone (unpublished).
- [39] J. Hoppe, *PhD thesis, MIT*, (1982).
- [40] T. W. Kibble, G. Lazarides and Q. Shafi, *Walls Bounded By Strings*, Phys. Rev. D **26**, (1982) 435 .
- [41] K. Akama, *Pregeometry*, Lect. Notes Phys. **176**, 267 (1982), hep-th/0001113.
- [42] V. A. Rubakov and M. E. Shaposhnikov, *Do we live inside a domain wall?*, Phys. Lett. **B125** (1983) 136.
- [43] W. Siegel, *Hidden local supersymmetry in the supersymmetric particle action*, Phys. Lett. **B128** (1983) 397.
- [44] M. J. Duff, B. E. W. Nilsson and C. N. Pope, *Compactification of  $D = 11$  supergravity on  $K3 \times T^3$* , Phys. Lett. **B129**, (1983) 39.
- [45] M. B. Green and J. Schwarz, *Covariant description of superstrings*, Phys. Lett. **B136** (1984) 367.
- [46] C. M. Hull, *Exact pp-wave solutions of 11-dimensional supergravity*, Phys. Lett. **B139** (1984) 39.
- [47] M. B. Green and J. Schwarz, *Anomaly cancellations in supersymmetric  $D = 10$  gauge theory and superstring theory*, Phys. Lett. **B149** (1984) 117.
- [48] K. Kikkawa and M. Yamasaki, *Casimir effect in superstring theories*, Phys. Lett. **B149** (1984) 357.
- [49] M. Pavsic, *On the quantization of gravity by embedding space-time in a higher dimensional space*, Class. Quant. Grav. **2** (1985) 869.
- [50] R. I. Nepomechie, *Magnetic monopoles from antisymmetric tensor gauge fields*, Phys. Rev. **D31** (1985) 1921.
- [51] S. K. Han and I. G. Koh,  *$N = 4$  supersymmetry remaining in Kaluza-Klein monopole background in  $D = 11$  supergravity*, Phys. Rev. **D31** (1985) 2503.

- [52] D. J. Gross, J. A. Harvey, E. J. Martinec and R. Rohm, *The heterotic string*, Phys. Rev. Lett. **54**, 502 (1985).
- [53] P. Candelas, G. Horowitz, A. Strominger and E. Witten, *Vacuum configurations for superstrings*, Nucl. Phys. **B258** (1985) 46.
- [54] M. Visser, *An exotic class of Kaluza-Klein models*, Phys. Lett. **B159**, 22 (1985) hep-th/9910093.
- [55] F. Mansouri, *Natural extensions of string theories*, In \*Lewes 1985, Proceedings, String Theory\*, 277-291.
- [56] N. Sakai and I. Senda, *Vacuum energies of string compactified on torus*, Prog. Theor. Phys. **75**, (1986) 692 [Erratum-ibid. **77**, (1987) 773].
- [57] C. Teitelboim, *Monopoles of higher rank*, Phys. Lett. **B167** (1986) 63.
- [58] L. Romans, *Massive  $N = 2a$  supergravity in ten dimensions*, Phys. Lett. **B169** (1986) 374.
- [59] J. Hughes, J. Liu and J. Polchinski, *Supermembranes*, Phys. Lett. **B180** (1986) 370.
- [60] J. Hoppe, *Quantum theory of a relativistic surface*, in“ Florence 1986 proceedings, “Constraint’s theory and relativistic dynamics.
- [61] K. Kikkawa and M. Yamasaki, *Can the membrane be a unification model?*, Prog. Theor. Phys. **76**, 1379 (1986).
- [62] E. Bergshoeff, E. Sezgin and P. Townsend, *Supermembranes and eleven-dimensional supergravity*, Phys. Lett. **B189** (1987) 75.
- [63] M. Duff, P. Howe, T. Inami and K. Stelle, *Superstrings in  $d = 10$  from supermembranes in  $d = 11$* , Phys. Lett. **B191** (1987) 70.
- [64] A. Achucarro, J. Evans, P. Townsend and D. Wiltshire, *Super  $p$ -branes*, Phys. Lett. **B198** (1987) 441.
- [65] I. Bars, C. N. Pope and E. Sezgin, *Massless spectrum and critical dimension of the supermembrane*, Phys. Lett. **B198** (1987) 455.
- [66] E. Bergshoeff, M. J. Duff, C. N. Pope and E. Sezgin, *Supersymmetric supermembrane vacua and singletons*, Phys. Lett. B **199** (1987) 69.
- [67] K. Fujikawa and J. Kubo, *On the quantization of membrane theories*, Phys. Lett. B **199**, 75 (1987).

- [68] G. W. Gibbons and D. L. Wiltshire, *Space-time as a membrane in higher dimensions*, Nucl. Phys. **B287**, (1987) 71, hep-th/0109093.
- [69] V. P. Nair, A. Shapere, A. Strominger and F. Wilczek, *Compactification of the twisted heterotic string*, Nucl. Phys. **B287** (1987) 402.
- [70] B. Sathiapalan, *Vortices on the string worldsheet and constraints on toral compactification*, Phys. Rev. **D35** (1987) 3277.
- [71] M. J. Duff, *Supermembranes: the first fifteen weeks*, Class. Quant. Grav. **5**, (1988) 189.
- [72] E. Bergshoeff, E. Sezgin and P. Townsend, *Properties of the eleven-dimensional super membrane theory*, Ann. Phys. **185** (1988) 330.
- [73] M. J. Duff, T. Inami, C. N. Pope, E. Sezgin and K. S. Stelle, *Semiclassical quantization of the supermembrane*, Nucl. Phys. **B297** (1988) 515.
- [74] E. G. Floratos and J. Iliopoulos, *A note on the classical symmetries of the closed bosonic membranes*, Phys. Lett. B **201** (1988) 237.
- [75] P. Townsend, *Supersymmetric extended solitons*, Phys. Lett. **B202** (1988) 53.
- [76] M. J. Duff and C. Sutton, *The Membrane at the end of the universe*, New Scientist, June 30, 1988.
- [77] J. Brown and C. Teitelboim, *Neutralization of the cosmological constant by membrane creation*, Nucl. Phys. **B297** (1988) 787.
- [78] B. DeWit, J. Hoppe and H. Nicolai, *On the quantum mechanics of supermembranes*, Nucl. Phys. **B305** (1988) 545.
- [79] M. Blencowe and M. J. Duff, *Supermembranes and the signature of space-time*, Nucl. Phys. **B310** (1988) 387.
- [80] M. J. Duff, C. N. Pope and E. Sezgin, *Supermembranes and Physics in 2 + 1 Dimensions*, Proceedings of the supermembrane workshop, ICTP, Trieste, July 1989 (World Scientific, 1990).
- [81] E. Bergshoeff, M. J. Duff, C. N. Pope and E. Sezgin, *Compactifications of the eleven-dimensional supermembrane*, Phys. Lett. **B224** (1989) 71.
- [82] B. DeWit, M. Luscher and H. Nicolai, *The supermembrane is unstable*, Nucl. Phys. **B320** (1989) 135.

- [83] M. Dine, P. Y. Huet and N. Seiberg, *large and small radius in string theory*, Nucl. Phys. **B322** (1989) 301.
- [84] U. Lindstrom and M. Rocek, *A superweyl invariant spinning membrane*, in *Strings 89* (Eds. Arnowitt, Bryan, Duff, Nanopoulos and Pope, World Scientific, 1990).
- [85] J. Polchinski, *Strings, quantum gravity, membranes*, in *Strings 89* (Eds. Arnowitt, Bryan, Duff, Nanopoulos and Pope, World Scientific, 1990).
- [86] J. Dai, R. G. Leigh and J. Polchinski, *New connections between string theories*, Mod. Phys. Lett. **A4** (1989) 2073.
- [87] R. G. Leigh, *Dirac-Born-Infeld action from Dirichlet sigma model*, Mod. Phys. Lett. **A4** (1989) 2767.
- [88] M. J. Duff, *Classical and quantum supermembranes*, Class. Quant. Grav. **6** (1989) 1577.
- [89] J. A. de Azcarraga, J. P. Gauntlett, J.M. Izquierdo and P.K. Townsend, *Topological extensions of the supersymmetry algebra for extended objects*, Phys. Rev. Lett. **63** (1989) 2443.
- [90] A. Font, L. E. Ibanez, D. Lust and F. Quevedo, *Strong - weak coupling duality and nonperturbative effects in string theory*, Phys. Lett. B **249** (1990) 35.
- [91] A. Dabholkar, G. W. Gibbons, J. A. Harvey and F. Ruiz Ruiz, *Superstrings and solitons*, Nucl. Phys. **B340** (1990) 33.
- [92] A. Strominger, *Heterotic solitons*, Nucl. Phys. **B343** (1990) 167.
- [93] M. J. Duff and J. Lu, *Duality rotations in string theory*, Nucl. Phys. **B335** (1990) 610. Trieste School HEP 1989:319-333 (QCD161:W626:1989)
- [94] M. J. Duff and J. Lu, *Duality rotations in membrane theory*, Nucl. Phys. **B347** (1990) 394.
- [95] M. J. Duff and J. Lu, *Duality for strings and membranes*, in *Strings 89* (Eds. Arnowitt, Bryan, Duff, Nanopoulos and Pope, World Scientific, 1990).
- [96] M. J. Duff and J. X. Lu, *Remarks on string/fivebrane duality*, Nucl. Phys. **B354** (1991) 129.
- [97] M. J. Duff and J. X. Lu, *Elementary fivebrane solutions of  $D = 10$  supergravity*, Nucl. Phys. **B354** (1991) 141.

- [98] M. J. Duff and J. X. Lu, *Loop expansions and string/five-brane duality*, Nucl. Phys. **B357** (1991) 534.
- [99] C. G. Callan, J. A. Harvey and A. Strominger, *World sheet approach to heterotic instantons and solitons*, Nucl. Phys. **B359** (1991) 611.
- [100] G. T. Horowitz and A. Strominger, *Black strings and p-branes*, Nucl. Phys. **B360** (1991) 197.
- [101] C. G. Callan, J. A. Harvey and A. Strominger, *Worldbrane actions for string solitons*, Nucl. Phys. **B367** (1991) 60.
- [102] M. J. Duff and J. X. Lu, *Strings from fivebranes*, Phys. Rev. Lett. **66** (1991) 1402.
- [103] M. J. Duff and K. Stelle, *Multimembrane solutions of  $d = 11$  supergravity*, Phys. Lett. **B253** (1991) 113.
- [104] M. J. Duff and J. X. Lu, *The self-dual Type IIB superthreebrane*, Phys. Lett. **B273** (1991) 409.
- [105] R. Gueven, *Black p-brane solutions of  $D = 11$  supergravity theory*, Phys. Lett. **B276** (1992) 49,
- [106] R. R. Khuri, *A Heterotic multimonopole solution*, Nucl. Phys. **B387**, (1992) 315. hep-th/9205081.
- [107] A. Sen, *Electric magnetic duality in string theory*, Nucl. Phys. B **404** (1993) 109. hep-th/9207053.
- [108] M. J. Duff and J. X. Lu, *Type II p-branes: the brane scan revisited*, Nucl. Phys. **B390** (1993) 276. hep-th/9207060
- [109] J. P. Gauntlett, J. A. Harvey and J. T. Liu, *Magnetic monopoles in string theory*, Nucl. Phys. **B409**, (1993) 363, hep-th/9211056.
- [110] R. Gregory and R. Laflamme, *Black Strings And P-Branes Are Unstable*, Phys. Rev. Lett. **70** (1993) 2837, hep-th/9301052.
- [111] J. X. Lu, *ADM masses for black strings and p-branes*, Phys. Lett. **B313** (1993) 29. hep-th/9304159
- [112] M.J. Duff, Ramzi R. Khuri, *Four dimensional string/string duality*, Nucl. Phys. **B411** (1994) 473. hep-th/9305142

- [113] M. J. Duff and J. X. Lu, *Black and super  $p$ -branes in diverse dimensions*, Nucl. Phys. **B416** (1994) 301. hep-th/9306052
- [114] G. W. Gibbons and P. K. Townsend, *Vacuum interpolation in supergravity via super  $p$ -branes*, Phys. Rev. Lett. **71** (1993) 3754. hep-th/9307049
- [115] M. J. Duff, R. R. Khuri, R. Minasian and J. Rahmfeld, *New black hole, string and membrane solutions of the four-dimensional heterotic string*, Nucl. Phys. **B418** (1994) 195, hep-th/9311120.
- [116] A. Sen, *Strong-weak coupling duality in four-dimensional string theory*, Int. J. Mod. Phys. **A9** (1994) 3707. hep-th/9402002
- [117] M. J. Duff, G. W. Gibbons and P. K. Townsend, *Macroscopic superstrings as interpolating solitons*, Phys. Lett. **B332** (1994) 321, hep-th/9405124.
- [118] M.J. Duff, R. Minasian, *Putting string/string duality to the test*, Nucl. Phys. **B436** 507-528,1995. hep-th/9406198.
- [119] G. W. Gibbons, G. T. Horowitz and P. K. Townsend, *Higher dimensional resolution of dilatonic black hole singularities*, Class. Quant. Grav. **12** (1995) 297, hep-th/9410073.
- [120] C. M. Hull and P. K. Townsend, *Unity of superstring dualities*, Nucl. Phys. **B438** (1995) 109. hep-th/9410167
- [121] M. J. Duff, R. R. Khuri and J. X. Lu, *String solitons*, Phys. Rep. **259** (1995) 213. hep-th/9412184
- [122] M. J. Duff, *Strong/weak coupling duality from the dual string*, Nucl. Phys. **B442** (1995) 47, hep-th/9501030.
- [123] P. Townsend, *The eleven-dimensional supermembrane revisited*, Phys. Lett. **B350** (1995) 184, hep-th/9501068.
- [124] E. Witten, *String theory dynamics in various dimensions*, Nucl. Phys. **B443** (1995) 85, hep-th/9503124.
- [125] J. A. Harvey and A. Strominger, *The heterotic string is a soliton*, Nucl. Phys. **B449** (1995) 535. hep-th/9504047.
- [126] A. Strominger, *Massless black holes and conifolds in string theory*, Nucl. Phys. **B451** (1995) 96, hep-th/9504090.

- [127] B. R. Greene, D. R. Morrison and A. Strominger, *Black hole condensation and the unification of string vacua*, Nucl. Phys. **B451** (1995) 109, hep-th/9504145.
- [128]
- [128] M. J. Duff, S. Ferrara, R. R. Khuri and J. Rahmfeld, *Supersymmetry and dual string solitons*, Phys. Lett. B **356**, 479 (1995) hep-th/9506057.
- [129] M. J. Duff, J. T. Liu and R. Minasian, *Eleven-dimensional origin of string/string duality: A one loop test*, Nucl. Phys. **B452** (1995) 261. hep-th/9506126.
- [130] A. Dabholkar, *Ten-dimensional heterotic string as a soliton*, Phys. Lett. **B357** (1995) 307, hep-th/9506160].
- [131] C. M. Hull, *String-string duality in ten-dimensions*, Phys. Lett. **B357** (1995) 545, hep-th/9506194.
- [132] E. Witten, *Some comments on string dynamics*, Contributed to STRINGS 95: Future Perspectives in String Theory, Los Angeles, CA, 13-18 Mar 1995. In \*Los Angeles 1995, Future perspectives in string theory\* 501-523, hep-th/9507121
- [133] K. Becker, M. Becker and A. Strominger, *Five-branes, membranes and non-perturbative string theory*, Nucl. Phys. **B456** (1995) 130, hep-th/9507158.
- [134] H. Lu, C. N. Pope, E. Sezgin and K. S. Stelle, *Stainless super p-branes*, Nucl. Phys. B **456** (1995) 669, hep-th/9508042.
- [135] J. Polchinski, *Dirichlet-branes and Ramond-Ramond charges*, Phys. Rev. Lett. **75** (1995) 4724. hep-th/9510017.
- [136] J. H. Schwarz, *The power of M-theory*, Phys. Lett. **B360** (1995) 13. hep-th/9510086.
- [137] E. Witten, *Bound states of strings and p-branes*, Nucl. Phys. **B460** (1996) 335, hep-th/9510101.
- [138] J. Polchinski and E. Witten, *Evidence for heterotic-Type I String duality*, Nucl. Phys. **B460** (1996) 525, hep-th/9510169.
- [139] P. Horava and E. Witten, *Heterotic and Type I string dynamics from eleven dimensions*, Nucl. Phys. **B460** (1996) 506. hep-th/9510209.
- [140] E. Bergshoeff, M.B. Green, G. Papadopoulos, P.K. Townsend, *The IIA super-eightbrane*, hep-th/9511079.

- [141] G. W. Gibbons, M. B. Green and M. J. Perry, *Instantons and seven-branes in Type IIB superstring theory*, Phys. Lett. **B370** (1996) 37, hep-th/9511080.
- [142] M. Bershadsky, C. Vafa and V. Sadov, *D-branes and topological field theories*, Nucl. Phys. B **463** (1996) 420 hep-th/9511222.
- [143] H. Lu and C. N. Pope, *p-brane solitons in maximal supergravities*, Nucl. Phys. B **465** (1996) 127, hep-th/9512012.
- [144] A. Strominger, *Open p-branes*, hep-th/9512059.
- [145] P. K. Townsend, *D-branes from M-branes*, Phys. Lett. **B373** (1996) 68, hep-th/9512062.
- [146] M. R. Douglas, *Branes within branes*, in “Cargese 1997, Strings, branes and dualities” 267-275. hep-th/9512077.
- [147] E. Witten, *Fivebranes and M-theory on an orbifold*, Nucl. Phys. **B463** (1996) 383, hep-th/9512219.
- [148] A. Strominger and C. Vafa, *Microscopic origin of the Bekenstein-Hawking entropy*, Phys. Lett. **B379** (1996) 99. hep-th/9601029.
- [149] M. J. Duff, R. Minasian and E. Witten, *Evidence for heterotic/heterotic duality*, Nucl. Phys. **B465** (1996) 413. hep-th/9601036.
- [150] E. G. Gimon and J. Polchinski, *Consistency conditions for orientifolds and D-manifolds* Phys. Rev. **D54** (1996) 1667, hep-th/9601038.
- [151] C. Vafa, *Evidence for F-theory*, Nucl. Phys. **B469** (1996) 403, hep-th/9602022.
- [152] E. Witten, *Strong coupling expansion of Calabi-Yau compactification* Nucl. Phys. **B471** (1996) 135, hep-th/9602070.
- [153] P. S. Aspinwall and M. Gross, *Heterotic-heterotic string duality and multiple K3 fibrations*, Phys. Lett. **B387** (1996) 735. hep-th/9602118.
- [154] N. Seiberg and Edward Witten, *Comments on string dynamics in six dimensions*, Nucl.Phys. **B471** (1996) 121, hep-th/9603003
- [155] M. J. Duff, H. Lu and C. N. Pope, *Heterotic phase transitions and singularities of the gauge dyonic string*, Phys. Lett. B **378** (1996) 101. hep-th/9603037.
- [156] G. Papadopoulos and P. K. Townsend, *Intersecting M-branes*, Phys. Lett. **B380** (1996) 273, hep-th/9603087.



- [157] P. Horava and E. Witten, *Eleven dimensional supergravity on a manifold with boundary*, Nucl. Phys. **B475** (1996) 94, hep-th/9603142.
- [158] E. Witten, *Phase transitions in M-theory and F-theory*, Nucl. Phys. **B471** (1996) 195. hep-th/9603150.
- [159] M. J. Duff, H. Lu and C. N. Pope, *The black branes of M-theory*, Phys. Lett. **B382** (1996) 73, hep-th/9604052.
- [160] R. Dijkgraaf, E. Verlinde and H. Verlinde, *BPS quantization of the five-brane*, Nucl. Phys. **B486** (1997) 89. hep-th/9604055.
- [161] M. Cvetič and H. H. Soleng, *Supergravity domain walls*, Phys. Rept. **282**, 159 (1997) hep-th/9604090.
- [162] I. R. Klebanov and A. A. Tseytlin, *Intersecting M-branes as four-dimensional black hole*, Nucl. Phys. **B475** (1996) 179, hep-th/9604166.
- [163] K. Behrndt, E. Bergshoeff and B. Janssen, *Intersecting D-branes in ten and six dimensions*, Phys. Rev. **D55** (1997) 3785, hep-th/9604168.
- [164] J. Gauntlett, D. Kastor and J. Transchen, *Overlapping branes in M-theory*, Nucl. Phys. **B478** (1996) 544. hep-th/9604179.
- [165] M. Berkooz, R. G. Leigh, J. Polchinski, J. H. Schwarz, N. Seiberg and E. Witten, *Anomalies, dualities and topology of  $D = 6$   $N = 1$  superstring vacua*, Nucl. Phys. **B475** (1996) 115. hep-th/9605184.
- [166] S. P. De Alwis, *A note on brane tension and M-theory*, Phys. Lett. **B388** (1996) 291. hep-th/9607011.
- [167] P. S. Howe and E. Sezgin, *Superbranes*, Phys. Lett. **B390** (1997) 133. hep-th/9607227.
- [168] M. R. Douglas, D. Kabat, P. Pouliot and S. H. Shenker, *D-branes and short distances in string theory*, Nucl. Phys. **B485** (1997) 85, hep-th/9608024.
- [169] M. J. Duff, *M-theory (the theory formerly known as strings)*, I. J. M. P. **A11** (1996) 5623, hep-th/9608117.
- [170] E. Witten, *On flux quantization in M-theory and the effective action*, J. Geom. Phys. **22** (1997) 1, hep-th/9609122.
- [171] T. Banks, W. Fischler, S. H. Shenker and L. Susskind, *M theory as a matrix model: a conjecture*, Phys. Rev. **D55** (1997) 5112, hep-th/9610043.

- [172] M. Aganagic, C. Popescu and J. S. Schwarz, *D-brane actions with local kappa symmetry action*, Phys. Lett. **B393** (1997) 311, hep-th/9610249.
- [173] P. S. Howe and E. Sezgin, *D=11, p=5*, Phys. Lett. **B394** (1997) 62, hep-th/9611008.
- [174] M. Cederwall, A. von Gussich, A. Mikovic, B. E. W. Nilsson and A. Westerberg, *On the Dirac-Born-Infeld action for D-branes*, Phys. Lett. **B390** (1997) 148. hep-th/9611159.
- [175] E. Bergshoeff and P. K. Townsend, *Super D-branes*, Nucl. Phys. **B490** (1997) 145, hep-th/9611173.
- [176] M. J. Duff, *Supermembranes*, Lectures given at the Theoretical Advanced Study Institute in Elementary Particle Physics (TASI 96), Boulder, 1996, hep-th/9611203.
- [177] P. K. Townsend, *Four lectures on M-theory*, hep-th/9612121.
- [178] M. Cvetič and D. Youm, *Rotating intersecting M-branes*, Nucl. Phys. B **499** (1997) 253, hep-th/9612229.
- [179] K. S. Stelle, *Lectures on supergravity p-branes*, hep-th/970188
- [180] E. Witten, *Solutions of four-dimensional gauge theories via M-theory*, Nucl. Phys. **B500** (1997) 3, hep-th/9703166.
- [181] E. Witten *Branes and the dynamics of QCD*, Nucl. Phys. **B507** (1997) 658, hep-th/9706109.
- [182] N. Seiberg, *Why is the matrix model correct?*, hep-th/9710009.
- [183] G. Moore and R. Minasian, *K-theory and Ramons-Ramond charges*, JHEP **9711** (1997) 002, hep-th/9710230.
- [184] M. R. Douglas and C. M. Hull, *D-branes and the noncommutative torus*, JHEP **9802** (1998) 008, hep-th/9711165.
- [185] J. M. Maldacena, *The large N limit of superconformal field theories and supergravity*, Adv. Theor. Math. Phys. **2**, 231 (1998) [Int. J. Theor. Phys. **38**, 1113 (1999)], hep-th/9711200.
- [186] M. J. Duff *et al.*, *Nonperturbative Aspects Of Strings, Branes And Supersymmetry.*, Proceedings, Spring School On Nonperturbative Aspects Of String Theory And Supersymmetric Gauge Theories And Conference On Super-Five-Branes And Physics In 5 + 1 Dimensions,” *Singapore: World Scientific (1999)*.

- [187] S. S. Gubser, I. R. Klebanov and A. M. Polyakov, *Gauge theory correlators from non-critical string theory*, Phys. Lett. B **428**, 105 (1998), hep-th/9802109.
- [188] E. Witten, *Anti-de Sitter space and holography*, Adv. Theor. Math. Phys. **2**, 253 (1998), hep-th/9802150.
- [189] D. Freed, J. A. Harvey, R. Minasian and G. W. Moore, *Gravitational anomaly cancellation for M-theory fivebranes*, Adv. Theor. Math. Phys. **2** (1998) 601. hep-th/9803205.
- [190] N. Arkani-Hamed, S. Dimopoulos and G. Dvali, *The hierarchy problem and new dimensions at a millimeter*, Phys. Lett. **B429** (1998) 263, hep-th/9803315.
- [191] I. Antoniadis, N. Arkani-Hamed, S. Dimopoulos and G. R. Dvali, *New dimensions at a millimeter to a Fermi and superstrings at a TeV*, Phys. Lett. **B436**, (1998) 257, hep-ph/9804398.
- [192] A. Sen, *Stable non-BPS bound states of BPS D-branes*, JHEP **9808** (1998) 010, hep-th/9805019.
- [193] A. Sen, *Tachyon condensation on the brane anti-brane system*, JHEP **9808** (1998) 012, hep-th/9805170
- [194] E. Witten, *D-branes and K-theory*, JHEP **9812** (1998) 019, hep-th/9810188.
- [195] J. Polchinski, *String Theory*, Volumes I and II, Cambridge University Press, 1998.
- [196] N. Seiberg and E. Witten, *The D1-D5 system and singular CFT*, JHEP **9904** (1999) 017, hep-th/9903224.
- [197] L. Randall and R. Sundrum, *A large mass hierarchy from a small extra dimension*, Phys. Rev. Lett. **83** (1999) 3370, hep-ph/9905221.
- [198] L. Randall and R. Sundrum, *An alternative to compactification*, Phys. Rev. Lett. **83** (1999) 4690, hep-th/9906064.
- [199] N. Seiberg and E. Witten, *String theory and non-commutative geometry* JHEP **9909** (1999) 032, hep-th/9908142
- [200] A. Chamblin, S. W. Hawking and H. S. Reall, *Brane-world black holes*, Phys. Rev. D **61**, 065007 (2000) hep-th/9909205.
- [201] E. E. Flanagan, S. H. H. Tye and I. Wasserman, *Cosmological expansion in the Randall-Sundrum brane world scenario*, Phys. Rev. D **62**, 044039 (2000) hep-ph/9910498.

- [202] M. J. Duff, *The World in Eleven Dimensions: Supergravity, Supermembranes and M-theory*, Institute of Physics Publishing, 1999.
- [203] M. Kaku, *Introduction to superstrings and M-theory*, Springer, 1999.
- [204] M. Kaku, *Strings, conformal fields and M-theory*, Springer, 1999.
- [205] *Brane new world and noncommutative geometry*, Proceedings of the Euroconference, Turin, Italy, 2000 Eds L. Castellani, G. Landi, F. Lizzi, Mod. Phys. Lett. A16 (2001) 163-402
- [206] S. W. Hawking, T. Hertog and H. S. Reall, *Brane new world*, Phys. Rev. D **62**, 043501 (2000), hep-th/0003052.
- [207] A. Karch and L. Randall, *Locally localized gravity*, JHEP **0105** (2001) 008, hep-th/0011156.
- [208] C. Johnson, *D-branes*, Cambridge University Press 2003.
- [209] T. Ortin, *Gravity and strings*, Cambridge University Press 2004.