

Supplementary Table 1. Multivariate Cox Regression Analysis for Time to Distant Metastasis (TTDM)

Variable	TTDM			
	P-value	HR	95 % CI	
Tumour size	0.002	1.44	1.14	1.82
Stage	<0.001	1.73	1.47	2.05
Grade	0.003	1.30	1.09	1.55
HER2	0.002	1.55	1.17	2.04
CDK7	0.001	0.68	0.54	0.86

Variable	TTDM			
	P-value	HR	95 % CI	
Tumour size	<0.001	1.55	1.25	1.93
Stage	<0.001	1.72	1.49	1.99
Grade	<0.001	1.45	1.23	1.71
HER2	0.003	1.48	1.14	1.92
Cyc H	0.043	0.82	0.67	0.99

Variable	TTDM			
	P-value	HR	95 % CI	
Tumour size	0.028	1.31	1.03	1.67
Stage	<0.001	1.73	1.46	2.05
Grade	0.003	1.32	1.10	1.59
HER2	0.004	1.53	1.15	2.04
MAT1	0.002	0.69	0.55	0.88

Variable	TTDM			
	P-value	HR	95 % CI	
Tumour size	0.008	1.64	1.14	2.35
Stage	<0.001	1.62	1.26	2.09
Grade	0.05	1.33	1.00	1.77
HER2	0.002	2.05	1.30	3.22
CAK	0.004	0.60	0.42	0.85