8. Bibliography

Adams, R., Pease, D. C., and Clark, J. H. (1940). Isolation of Cannabinol, Cannabidiol and Quebrachitol from Red Oil of Minnesota Wild Hemp. Journal of the American Chemical Society *62*, 2194-2196.

Aguado, T., Carracedo, A., Julien, B., Velasco, G., Milman, G., Mechoulam, R., Alvarez, L., Guzman, M., and Galve-Roperh, I. (2007). Cannabinoids induce glioma stem-like cell differentiation and inhibit gliomagenesis. The Journal of biological chemistry *282*, 6854-6862.

Al Dhaheri, Y., Attoub, S., Ramadan, G., Arafat, K., Bajbouj, K., Karuvantevida, N.,AbuQamar, S., Eid, A., and Iratni, R. (2014). Carnosol Induces ROS-Mediated Beclin1Independent Autophagy and Apoptosis in Triple Negative Breast Cancer. PLoS One *9*, e109630.

Alexander, A., Smith, P. F., and Rosengren, R. J. (2009). Cannabinoids in the treatment of cancer. Cancer Lett *285*, 6-12.

Al-Taweel, N., Varghese, E., Florea, A. M., and Büsselberg, D. (2014). Cisplatin (CDDP) triggers cell death of MCF-7 cells following disruption of intracellular calcium ([Ca(2+)]i) homeostasis. J Toxicol Sci *39*, 765-774.

Amouroux, R., McEwen, K. R., and Hajkova, P. (2014). Current technological advances in mapping new DNA modifications. Drug Discovery Today: Disease Models, e1-e12.

Annunen-Rasila, J., Ohlmeier, S., Tuokko, H., Veijola, J., and Majamaa, K. (2007). Proteome and cytoskeleton responses in osteosarcoma cells with reduced OXPHOS activity. Proteomics *7*, 2189-2200.

Antico Arciuch, V. G., Elguero, M. E., Poderoso, J. J., and Carreras, M. C. (2012). Mitochondrial regulation of cell cycle and proliferation. Antioxid Redox Signal *16*, 1150-1180.

Arisan, E. D., Kutuk, O., Tezil, T., Bodur, C., Telci, D., and Basaga, H. (2010). Small inhibitor of Bcl-2, HA14-1, selectively enhanced the apoptotic effect of cisplatin by modulating Bcl-2 family members in MDA-MB-231 breast cancer cells. Breast Cancer Res Treat *119*, 271-281.

Asensi, M., Ortega, A., Mena, S., Feddi, F., and Estrela, J. M. (2011). Natural polyphenols in cancer therapy. Crit Rev Clin Lab Sci *48*, 197-216.

Ashrafi, G., and Schwarz, T. L. (2013). The pathways of mitophagy for quality control and clearance of mitochondria. Cell Death Differ *20*, 31-42.

Ashton, C. H. (2001). Pharmacology and effects of cannabis: a brief review. The British journal of psychiatry : the journal of mental science *178*, 101-106.

Athanasiou, A., Clarke, A. B., Turner, A. E., Kumaran, N. M., Vakilpour, S., Smith, P. A., Bagiokou, D., Bradshaw, T. D., Westwell, A. D., Fang, L., et al. (2007). Cannabinoid receptor agonists are mitochondrial inhibitors: a unified hypothesis of how cannabinoids modulate mitochondrial function and induce cell death. Biochem Biophys Res Commun *364*, 131-137.

Aviello, G., Romano, B., Borrelli, F., Capasso, R., Gallo, L., Piscitelli, F., Di Marzo, V., and Izzo, A. A. (2012). Chemopreventive effect of the non-psychotropic phytocannabinoid cannabidiol on experimental colon cancer. J Mol Med (Berl) *90*, 925-934.

Balmaña, J., Tung, N. M., Isakoff, S. J., Graña, B., Ryan, P. D., Saura, C., Lowe, E. S., Frewer, P., Winer, E., Baselga, J., and Garber, J. E. (2014). Phase I trial of olaparib in combination with cisplatin for the treatment of patients with advanced breast, ovarian and other solid tumors. Ann Oncol *25*, 1656-1663.

Bansal, N., Kadamb, R., Mittal, S., Vig, L., Sharma, R., Dwarakanath, B. S., and Saluja, D. (2011). Tumor suppressor protein p53 recruits human Sin3B/HDAC1 complex for downregulation of its target promoters in response to genotoxic stress. PLoS One *6*, e26156.

Barbisan, G., Pérez, L. O., Contreras, A. and Golijow, C. D. (2012) 'TNF-α and IL-10 promoter polymorphisms, HPV infection, and cervical cancer risk', *Tumour Biol*, 33(5), 1549-56.

Bari, M., Spagnuolo, P., Fezza, F., Oddi, S., Pasquariello, N., Finazzi-Agrò, A., and Maccarrone, M. (2006). Effect of lipid rafts on Cb2 receptor signaling and 2-arachidonoylglycerol metabolism in human immune cells. J Immunol *177*, 4971-4980.

Barnes, M. P. (2006). Sativex: clinical efficacy and tolerability in the treatment of symptoms of multiple sclerosis and neuropathic pain. Expert Opin Pharmacother *7*, 607-615.

Benard, G., Bellance, N., James, D., Parrone, P., Fernandez, H., Letellier, T., and Rossignol, R. (2007). Mitochondrial bioenergetics and structural network organization. J Cell Sci *120*, 838-848.

Bénard, G., Massa, F., Puente, N., Lourenço, J., Bellocchio, L., Soria-Gómez, E., Matias, I., Delamarre, A., Metna-Laurent, M., Cannich, A., et al. (2012). Mitochondrial CB_1 receptors regulate neuronal energy metabolism. Nat Neurosci *15*, 558-564.

Bergamaschi, M. M., Queiroz, R. H., Zuardi, A. W., and Crippa, J. A. (2011). Safety and side effects of cannabidiol, a Cannabis sativa constituent. Curr Drug Saf *6*, 237-249.

Berry, E. M., and Mechoulam, R. (2002). Tetrahydrocannabinol and endocannabinoids in feeding and appetite. Pharmacol Ther *95*, 185-190.

Bisogno, T., MacCarrone, M., De Petrocellis, L., Jarrahian, A., Finazzi-Agrò, A., Hillard, C., and Di Marzo, V. (2001). The uptake by cells of 2-arachidonoylglycerol, an endogenous agonist of cannabinoid receptors. Eur J Biochem *268*, 1982-1989.

Bitar, M. S., and Al-Mulla, F. (2011). A defect in Nrf2 signaling constitutes a mechanism for cellular stress hypersensitivity in a genetic rat model of type 2 diabetes. Am J Physiol Endocrinol Metab *301*, E1119-1129.

Blake, D. R., Robson, P., Ho, M., Jubb, R. W., and McCabe, C. S. (2006). Preliminary assessment of the efficacy, tolerability and safety of a cannabis-based medicine (Sativex) in the treatment of pain caused by rheumatoid arthritis. Rheumatology (Oxford) *45*, 50-52.

Bornheim, L. M., Lasker, J. M., and Raucy, J. L. (1993). Characterization of Cannabidiol-mediated Cytochrome P450 Inactivation. Biochemical pharmacology *45*, 1323-1331.

Bookout, A. L., Cummins, C. L., Mangelsdorf, D. J., Pesola, J. M., and Kramer, M. F. (2001). High-Throughput Real-Time Quantitative Reverse Transcription PCR. In Current Protocols in Molecular Biology, (John Wiley & Sons, Inc.).

Borgelt, L. M., Franson, K. L., Nussbaum, A. M., and Wang, G. S. (2013). The pharmacologic and clinical effects of medical cannabis. Pharmacotherapy *33*, 195-209.

Boyer, P. D. (1997). The ATP synthase--a splendid molecular machine. Annu Rev Biochem *66*, 717-749.

Bragado, P., Armesilla, A., Silva, A., and Porras, A. (2007). Apoptosis by cisplatin requires p53 mediated p38alpha MAPK activation through ROS generation. Apoptosis *12*, 1733-1742.

Bray, F., Jemal, A., Grey, N., Ferlay, J., and Forman, D. (2012). Global cancer transitions according to the Human Development Index (2008-2030): a population-based study. Lancet Oncol *13*, 790-801.

Breast Cancer Care. (2014). Breast Cancer Facts. Available at: http://www.breastcancercare.org.uk/breast-cancer-information/about-breastcancer/breast-cancer-facts (Accessed: 25 November 2014).

Brookes, P. S., Yoon, Y., Robotham, J. L., Anders, M. W., and Sheu, S. S. (2004). Calcium, ATP, and ROS: a mitochondrial love-hate triangle. Am J Physiol Cell Physiol *287*, C817-833.

Brücher, B. L., Lyman, G., van Hillegersberg, R., Pollock, R. E., Lordick, F., Yang, H. K., Ushijima, T., Yeoh, K. G., Skricka, T., Polkowski, W., et al. (2014). Imagine a world without cancer. BMC Cancer *14*, 186.

Bullock, M. D., Bruce, A., Sreekumar, R., Curtis, N., Cheung, T., Reading, I., Primrose, J. N., Ottensmeier, C., Packham, G. K., Thomas, G., and Mirnezami, A. H. (2013). FOXO3 expression during colorectal cancer progression: biomarker potential reflects a tumour suppressor role. Br J Cancer *109*, 387-394.

Burris, H. A., Moore, M. J., Andersen, J., Green, M. R., Rothenberg, M. L., Modiano, M. R., Cripps, M. C., Portenoy, R. K., Storniolo, A. M., Tarassoff, P., et al. (1997). Improvements in survival and clinical benefit with gemcitabine as first-line therapy for patients with advanced pancreas cancer: a randomized trial. J Clin Oncol *15*, 2403-2413.

Burstein, S., Rosenfeld, J., and Wittstruck, T. (1972). Isolation and Characterization of Two Major Urinary Metabolites of Δ1-Tetrahydrocannabinol. Science *176*, 422-423.

Caffarel, M. M., Andradas, C., Pérez-Gómez, E., Guzmán, M., and Sánchez, C. (2012). Cannabinoids: a new hope for breast cancer therapy? Cancer Treat Rev *38*, 911-918.

Caffarel, M. M., Sarrió, D., Palacios, J., Guzmán, M., and Sánchez, C. (2006). Delta9tetrahydrocannabinol inhibits cell cycle progression in human breast cancer cells through Cdc2 regulation. Cancer Res *66*, 6615-6621.

Cairns, R. A., Harris, I., McCracken, S., and Mak, T. W. (2011). Cancer cell metabolism. Cold Spring Harb Symp Quant Biol *76*, 299-311.

Caley, A., and Jones, R. (2012). The principles of cancer treatment by chemotherapy. Surgery (Oxford) *30*, 186-190.

Caney, C., Bulmer, J. T., Singh, G., Lukka, H., and Rainbow, A. J. (1999). Pre-exposure of human squamous carcinoma cells to low-doses of gamma-rays leads to an increased resistance to subsequent low-dose cisplatin treatment. Int J Radiat Biol *75*, 963-972.

Chabner, B. A., and Roberts, T. G. (2005). Timeline: Chemotherapy and the war on cancer. Nat Rev Cancer *5*, 65-72.

Chaffer, C. L., and Weinberg, R. A. (2011). A perspective on cancer cell metastasis. Science *331*, 1559-1564.

Chance, B., and Williams, G. R. (1956). The respiratory chain and oxidative phosphorylation. Adv Enzyme Relat Subj Biochem *17*, 65-134.

Chen, A., Xu, J., and Johnson, A. C. (2006). Curcumin inhibits human colon cancer cell growth by suppressing gene expression of epidermal growth factor receptor through reducing the activity of the transcription factor Egr-1. Oncogene *25*, 278-287.

Chen, B., Tuuli, M. G., Longtine, M. S., Shin, J. S., Lawrence, R., Inder, T., and Michael Nelson, D. (2012a). Pomegranate juice and punicalagin attenuate oxidative stress and apoptosis in human placenta and in human placental trophoblasts. Am J Physiol Endocrinol Metab *302*, E1142-1152.

Chen, R. Z., Pettersson, U., Beard, C., Jackson-Grusby, L., and Jaenisch, R. (1998). DNA hypomethylation leads to elevated mutation rates. Nature *395*, 89-93.

Chen, W. M., Jiang, T., Wang, H. H., Tao, S. S., Lau, A., Fang, D. Y., and Zhang, D. D.(2012b). Does Nrf2 Contribute to p53-Mediated Control of Cell Survival and Death? Antioxidants & Redox Signaling *17*, 1670-1675.

Chonghaile, T. N., Sarosiek, K. A., Vo, T. T., Ryan, J. A., Tammareddi, A., Moore, V. D.,Deng, J., Anderson, K. C., Richardson, P., Tai, Y. T., et al. (2011). Pretreatment Mitochondrial Priming Correlates with Clinical Response to Cytotoxic Chemotherapy. Science *334*, 1129-1133.

Clendinning, J. (1843). Observation on the medicinal properties of *Cannabis sativa* of India. Medico-Chirurgical Trans *26*.

Cluny, N. L., Reimer, R. A., and Sharkey, K. A. (2012). Cannabinoid signalling regulates inflammation and energy balance: the importance of the brain-gut axis. Brain Behav Immun 26, 691-698.

Cognetti, F., Ruggeri, E. M., Felici, A., Gallucci, M., Muto, G., Pollera, C. F., Massidda, B., Rubagotti, A., Giannarelli, D., Boccardo, F., and Group, S. (2012). Adjuvant chemotherapy with cisplatin and gemcitabine versus chemotherapy at relapse in patients with muscleinvasive bladder cancer submitted to radical cystectomy: an Italian, multicenter, randomized phase III trial. Ann Oncol *23*, 695-700.

Consroe, P., Musty, R., Rein, J., Tillery, W., and Pertwee, R. (1997). The Perceived Effects of Smoked Cannabis on Patients with Multiple Sclerosis. European Neurology *38*, 44-48.

Cooper, M. E., and Regnell, S. E. (2014). The hepatic cannabinoid 1 receptor as a modulator of hepatic energy state and food intake. Br J Clin Pharmacol *77*, 21-30.

Costa, B., Giagnoni, G., Franke, C., Trovato, A. E., and Colleoni, M. (2004). Vanilloid TRPV1 receptor mediates the antihyperalgesic effect of the nonpsychoactive cannabinoid, cannabidiol, in a rat model of acute inflammation. Br J Pharmacol *143*, 247-250.

Dalzell, A. M., Bartlett, H., and Lilleyman, J. S. (1986). Nabilone: an alternative antiemetic for cancer chemotherapy. Arch Dis Child *61*, 502-505.

Dando, I., Donadelli, M., Costanzo, C., Dalla Pozza, E., D'Alessandro, A., Zolla, L., and Palmieri, M. (2013). Cannabinoids inhibit energetic metabolism and induce AMPK-dependent autophagy in pancreatic cancer cells. Cell Death Dis *4*, e664.

Das, P. M., and Singal, R. (2004). DNA Methylation and Cancer. Journal of Clinical Oncology *22*, 4632-4642.

Davies, S. P., Carling, D., and Hardie, D. G. (1989). Tissue distribution of the AMP-activated protein kinase, and lack of activation by cyclic-AMP-dependent protein kinase, studied using a specific and sensitive peptide assay. Eur J Biochem *186*, 123-128.

Davis, M. P. (2014). Cannabinoids in pain management: CB1, CB2 and non-classic receptor ligands. Expert Opin Investig Drugs *23*, 1123-1140.

De Amicis, F., Giordano, F., Vivacqua, A., Pellegrino, M., Panno, M. L., Tramontano, D., Fuqua, S. A., and Andò, S. (2011). Resveratrol, through NF-Y/p53/Sin3/HDAC1 complex phosphorylation, inhibits estrogen receptor alpha gene expression via p38MAPK/CK2 signaling in human breast cancer cells. FASEB J *25*, 3695-3707.

De Petrocellis, L., Ligresti, A., Schiano Moriello, A., Iappelli, M., Verde, R., Stott, C. G., Cristino, L., Orlando, P., and Di Marzo, V. (2012a). Non-THC cannabinoids inhibit prostate carcinoma growth in vitro and in vivo: pro-apoptotic effects and underlying mechanisms. British Journal of Pharmacology *168*, 79-102.

De Petrocellis, L., Orlando, P., Moriello, A. S., Aviello, G., Stott, C., Izzo, A. A., and Di Marzo, V. (2012b). Cannabinoid actions at TRPV channels: effects on TRPV3 and TRPV4 and their potential relevance to gastrointestinal inflammation. Acta Physiologica *204*, 255-266.

Dell' Antone, P. Energy metabolism in cancer cells: How to explain the Warburg and Crabtree effects? Medical Hypotheses *79*, 388-392.

Desquiret-Dumas, V., Gueguen, N., Leman, G., Baron, S., Nivet-Antoine, V., Chupin, S., Chevrollier, A., Vessières, E., Ayer, A., Ferré, M., et al. (2013). Resveratrol induces a mitochondrial complex I-dependent increase in NADH oxidation responsible for sirtuin activation in liver cells. J Biol Chem *288*, 36662-36675.

Devane, W. A., Hanus, L., Breuer, A., Pertwee, R. G., Stevenson, L. A., Griffin, G., Gibson, D., Mandelbaum, A., Etinger, A., and Mechoulam, R. (1992). Isolation and structure of a brain constituent that binds to the cannabinoid receptor. Science *258*, 1946-1949.

Devinsky, O., Cilio, M. R., Cross, H., Fernandez-Ruiz, J., French, J., Hill, C., Katz, R., Di Marzo, V., Jutras-Aswad, D., Notcutt, W. G., et al. (2014). Cannabidiol: pharmacology and potential therapeutic role in epilepsy and other neuropsychiatric disorders. Epilepsia *55*, 791-802.

Devita, V. T., Serpick, A. A., and Carbone, P. P. (1970). Combination chemotherapy in the treatment of advanced Hodgkin's disease. Ann Intern Med *73*, 881-895.

Dhar, S., Kolishetti, N., Lippard, S. J., and Farokhzad, O. C. (2011). Targeted delivery of a cisplatin prodrug for safer and more effective prostate cancer therapy in vivo. Proc Natl Acad Sci U S A *108*, 1850-1855.

Di Marzo, V., and De Petrocellis, L. (2010). Endocannabinoids as regulators of transient receptor potential (TRP) channels: A further opportunity to develop new endocannabinoidbased therapeutic drugs. Curr Med Chem *17*, 1430-1449.

Diaz-Ruiz, R., Rigoulet, M., and Devin, A. (2011). The Warburg and Crabtree effects: On the origin of cancer cell energy metabolism and of yeast glucose repression. Biochim Biophys Acta *1807*, 568-576.

Diers, A. R., Broniowska, K. A., Chang, C. F., and Hogg, N. (2012). Pyruvate fuels mitochondrial respiration and proliferation of breast cancer cells: effect of monocarboxylate transporter inhibition. Biochem J *444*, 561-571.

Donadelli, M., Dando, I., Zaniboni, T., Costanzo, C., Dalla Pozza, E., Scupoli, M. T., Scarpa, A., Zappavigna, S., Marra, M., Abbruzzese, A., et al. (2011). Gemcitabine/cannabinoid combination triggers autophagy in pancreatic cancer cells through a ROS-mediated mechanism. Cell Death Dis *2*, e152.

Downer, E. J., and Finn, D. P. (2014). Cannabinoids: clearing the smoke on pain, inflammation and neurodegeneration. Br J Pharmacol *171*, 1341-1344.

Dranka, B. P., Hill, B. G., and Darley-Usmar, V. M. (2010). Mitochondrial reserve capacity in endothelial cells: The impact of nitric oxide and reactive oxygen species. Free Radic Biol Med *48*, 905-914.

Duffy, S. W., Tabar, L., Olsen, A. H., Vitak, B., Allgood, P. C., Chen, T. H., Yen, A. M., and Smith, R. A. (2010). Absolute numbers of lives saved and overdiagnosis in breast cancer screening, from a randomized trial and from the Breast Screening Programme in England. J Med Screen *17*, 25-30.

Ehrlich, M. (2002). DNA methylation in cancer: too much, but also too little. Oncogene *21*, 5400-5413.

Elstrom, R. L., Bauer, D. E., Buzzai, M., Karnauskas, R., Harris, M. H., Plas, D. R., Zhuang, H., Cinalli, R. M., Alavi, A., Rudin, C. M., and Thompson, C. B. (2004). Akt Stimulates Aerobic Glycolysis in Cancer Cells. Cancer Research *64*, 3892-3899.

Farber, S., and Diamond, L. K. (1948). Temporary remissions in acute leukemia in children produced by folic acid antagonist, 4-aminopteroyl-glutamic. N Engl J Med *238*, 787-793.

Faubert, B., Boily, G., Izreig, S., Griss, T., Samborska, B., Dong, Z., Dupuy, F., Chambers, C., Fuerth, B. J., Viollet, B., Mamer, O. A., Avizonis, D., DeBerardinis, R. J., Siegel, P. M. and Jones, R. G. (2013) 'AMPK is a negative regulator of the Warburg effect and suppresses tumor growth in vivo', *Cell Metab*, 17(1), 113-24.

Faubert, B., Vincent, E. E., Poffenberger, M. C. and Jones, R. G. (2015) 'The AMPactivated protein kinase (AMPK) and cancer: many faces of a metabolic regulator', *Cancer Lett*, 356(2 Pt A), 165-70.

Feinberg, A. P., and Tycko, B. (2004). The history of cancer epigenetics. Nat Rev Cancer *4*, 143-153.

Ferber, E. C., Peck, B., Delpuech, O., Bell, G. P., East, P., and Schulze, A. (2012). FOXO3a regulates reactive oxygen metabolism by inhibiting mitochondrial gene expression. Cell Death Differ *19*, 968-979.

Ferlay, J., Soerjomataram, I., Ervik, M., Dikshit, R., Eser, S., Mathers, C., M., R., Parkin, D. M., Forman, D., and Bray, F. (2013). Cancer incidence and mortality worldwide:IARC cancerbase no. 11[Internet]. In, (Lyon, France: International agency for research on cancer).

Florea, A. M., and Busselberg, D. (2011). Cisplatin as an anti-tumor drug: cellular mechanisms of activity, drug resistance and induced side effects. Cancers (Basel) *3*, 13511371.

Fogli, S., and Breschi, M. C. (2008). The molecular bases of cannabinoid action in cancer. Cancer Therapy *6*, 103-116.

Fonseca, B. M., Costa, M. A., Almada, M., Correia-da-Silva, G., and Teixeira, N. A. (2013). Endogenous cannabinoids revisited: a biochemistry perspective. Prostaglandins Other Lipid Mediat *102-103*, 13-30.

Frank, M., Duvezin-Caubet, S., Koob, S., Occhipinti, A., Jagasia, R., Petcherski, A., Ruonala, M. O., Priault, M., Salin, B., and Reichert, A. S. (2012). Mitophagy is triggered by mild oxidative stress in a mitochondrial fission dependent manner. Biochim Biophys Acta *1823*, 2297-2310.

Frei, E., Karon, M., Levin, R. H., Freireich, E. J., Taylor, R. J., Hananian, J., Selawry, O., Holland, J. F., Hoogstraten, B., Wolman, I. J., et al. (1965). The effectiveness of combinations of antileukemic agents in inducing and maintaining remission in children with acute leukemia. Blood *26*, 642-656.

Fu, Z., and Tindall, D. J. (2008). FOXOs, cancer and regulation of apoptosis. Oncogene *27*, 2312-2319.

Fukuda, S., Kohsaka, H., Takayasu, A., Yokoyama, W., Miyabe, C., Miyabe, Y., Harigai, M., Miyasaka, N., and Nanki, T. (2014). Cannabinoid receptor 2 as a potential therapeutic target in rheumatoid arthritis. BMC Musculoskelet Disord *15*, 275.

Gagnon, M., Zihler Berner, A., Chervet, N., Chassard, C., and Lacroix, C. (2013). Comparison of the Caco-2, HT-29 and the mucus-secreting HT29-MTX intestinal cell models to investigate Salmonella adhesion and invasion. J Microbiol Methods *94*, 274-279.

Galluzzi, L., Kepp, O., and Kroemer, G. (2011). Mitochondrial dynamics: a strategy for avoiding autophagy. Curr Biol *21*, R478-480.

Galluzzi, L., Kepp, O., Vander Heiden, M. G., and Kroemer, G. (2013). Metabolic targets for cancer therapy. Nat Rev Drug Discov *12*, 829-846.

Galluzzi, L., Larochette, N., Zamzami, N., and Kroemer, G. (2006). Mitochondria as therapeutic targets for cancer chemotherapy. Oncogene *25*, 4812-4830.

Galluzzi, L., Senovilla, L., Vitale, I., Michels, J., Martins, I., Kepp, O., Castedo, M., and Kroemer, G. (2012). Molecular mechanisms of cisplatin resistance. Oncogene *31*, 18691883.

Galmarini, D., Galmarini, C. M., and Galmarini, F. C. (2012). Cancer chemotherapy: a critical analysis of its 60 years of history. Crit Rev Oncol Hematol *84*, 181-199.

Galve-Roperh, I., Sanchez, C., Cortes, M. L., del Pulgar, T. G., Izquierdo, M., and Guzman, M. (2000). Anti-tumoral action of cannabinoids: Involvement of sustained ceramide accumulation and extracellular signal-regulated kinase activation. Nat Med *6*, 313-319.

Gamet, L., Daviaud, D., Denis-Pouxviel, C., Remesy, C., and Murat, J. C. (1992). Effects of short-chain fatty acids on growth and differentiation of the human colon-cancer cell line HT29. Int J Cancer *52*, 286-289.

Gaoni, Y., and Mechoulam, R. (1964). Isolation, Structure, and Partial Synthesis of an Active Constituent of Hashish. Journal of the American Chemical Society *86*, 16461647.

Gasperi, V., Dainese, E., Oddi, S., Sabatucci, A., and Maccarrone, M. (2013). GPR55 and its interaction with membrane lipids: comparison with other endocannabinoid-binding receptors. Curr Med Chem *20*, 64-78.

Giaccone, G. (2000). Clinical perspectives on platinum resistance. Drugs *59 Suppl 4*, 9-17; discussion 37-18.

Gilman, A. (1963). The initial clinical trial of nitrogen mustard. Am J Surg *105*, 574-578.

Gniadecki, R., Christoffersen, N., and Wulf, H. C. (2002). Cholesterol-rich plasma membrane domains (lipid rafts) in keratinocytes: importance in the baseline and UVA-induced generation of reactive oxygen species. J Invest Dermatol *118*, 582-588.

Godwin, A. K., Meister, A., O'Dwyer, P. J., Huang, C. S., Hamilton, T. C., and Anderson, M. E. (1992). High resistance to cisplatin in human ovarian cancer cell lines is associated with marked increase of glutathione synthesis. Proc Natl Acad Sci U S A *89*, 3070-3074.

Gupta, S. C., Hevia, D., Patchva, S., Park, B., Koh, W., and Aggarwal, B. B. (2012). Upsides and downsides of reactive oxygen species for cancer: the roles of reactive oxygen species in tumorigenesis, prevention, and therapy. Antioxid Redox Signal *16*, 1295-1322.

Guzman, M., Sanchez, C., and Galve-Roperh, I. (2001). Control of the cell survival/death decision by cannabinoids. J Mol Med (Berl) *78*, 613-625.

Guzmán, M. (2003). Cannabinoids: potential anticancer agents. Nat Rev Cancer *3*, 745-755.

GWPharma (2014). Sativex FAQs. Available at: http://www.gwpharm.com/sativex-faqs.aspx (Accessed: 15 November 2014).

Hague, A., Elder, D. J., Hicks, D. J., and Paraskeva, C. (1995). Apoptosis in colorectal tumour cells: induction by the short chain fatty acids butyrate, propionate and acetate and by the bile salt deoxycholate. Int J Cancer *60*, 400-406.

Hahm, E. R., Moura, M. B., Kelley, E. E., Van Houten, B., Shiva, S., and Singh, S. V. (2011). Withaferin A-induced apoptosis in human breast cancer cells is mediated by reactive oxygen species. PLoS One *6*, e23354.

Hainsworth, J. D., Litchy, S., Barton, J. H., Houston, G. A., Hermann, R. C., Bradof, J. E., Greco, F. A., and Network, M. P. C. R. (2003). Single-agent rituximab as first-line and maintenance treatment for patients with chronic lymphocytic leukemia or small lymphocytic lymphoma: a phase II trial of the Minnie Pearl Cancer Research Network. J Clin Oncol *21*, 1746-1751.

Hanahan, D., and Weinberg, R. A. (2000). The hallmarks of cancer. Cell *100*, 57-70.

Hanahan, D., and Weinberg, R. A. (2011). Hallmarks of cancer: the next generation. Cell *144*, 646-674.

Hardie, D. G. (2008). AMPK: a key regulator of energy balance in the single cell and the whole organism. Int J Obes (Lond) *32 Suppl 4*, S7-12.

Harvey, D. J., and Mechoulam, R. (1990). Metabolites of cannabidiol identified in human urine. Xenobiotica *20*, 303-320.

Hawley, S. A., Fullerton, M. D., Ross, F. A., Schertzer, J. D., Chevtzoff, C., Walker, K. J., Peggie, M. W., Zibrova, D., Green, K. A., Mustard, K. J., et al. (2012). The ancient drug salicylate directly activates AMP-activated protein kinase. Science *336*, 918-922.

Herman, J. G., and Baylin, S. B. (2003). Gene Silencing in Cancer in Association with Promoter Hypermethylation. New England Journal of Medicine *349*, 2042-2054.

Hino, M., Doihara, H., Kobayashi, K., Aoe, M., and Shimizu, N. (2003). Caveolin-1 as tumor suppressor gene in breast cancer. Surg Today *33*, 486-490.

Hodge, D. R., Hurt, E. M., and Farrar, W. L. (2005). The role of IL-6 and STAT3 in inflammation and cancer. Eur J Cancer *41*, 2502-2512.

Holdcroft, A., Smith, M., Jacklin, A., Hodgson, H., Smith, B., Newton, M., and Evans, F. (1997). Pain relief with oral cannabinoids in familial Mediterranean fever. Anaesthesia *52*, 483-486.

Holmström, K. M., Baird, L., Zhang, Y., Hargreaves, I., Chalasani, A., Land, J. M., Stanyer, L., Yamamoto, M., Dinkova-Kostova, A. T., and Abramov, A. Y. (2013). Nrf2 impacts cellular bioenergetics by controlling substrate availability for mitochondrial respiration. Biol Open *2*, 761-770.

Hong, Y., Yang, J., Wu, W., Wang, W., Kong, X., Wang, Y., Yun, X., Zong, H., Wei, Y., Zhang, S., and Gu, J. (2008). Knockdown of BCL2L12 leads to cisplatin resistance in MDAMB-231 breast cancer cells. Biochim Biophys Acta *1782*, 649-657.

Hosking, R. D., and Zajicek, J. P. (2008). Therapeutic potential of cannabis in pain medicine†. British Journal of Anaesthesia *101*, 59-68.

Howard, P., Twycross, R., Shuster, J., Mihalyo, M., and Wilcock, A. (2013). Cannabinoids. J Pain Symptom Manage *46*, 142-149.

Hsu, P. P., and Sabatini, D. M. (2008). Cancer cell metabolism: Warburg and beyond. Cell *134*, 703-707.

Huang, H., Hu, X., Eno, C. O., Zhao, G., Li, C., and White, C. (2013). An interaction between Bcl-xL and the voltage-dependent anion channel (VDAC) promotes mitochondrial Ca2+ uptake. J Biol Chem *288*, 19870-19881.

Hudis, C. A. (2002). Single-agent vs combination therapy in advanced breast cancer: potential roles of capecitabine. Oncology (Williston Park) *16*, 13-16.

Huestis, M. A. (2007). Human cannabinoid pharmacokinetics. Chemistry & Biodiversity *4*, 1770-1804.

Hui, L., Zheng, Y., Yan, Y., Bargonetti, J., and Foster, D. A. (2006). Mutant p53 in MDA-MB231 breast cancer cells is stabilized by elevated phospholipase D activity and contributes to survival signals generated by phospholipase D. Oncogene *25*, 7305-7310.

Humphrey, S. J., Yang, G., Yang, P., Fazakerley, D. J., Stöckli, J., Yang, J. Y. and James, D. E. (2013) 'Dynamic adipocyte phosphoproteome reveals that Akt directly regulates mTORC2', *Cell Metab*, 17(6), 1009-20.

Iannotti, F. A., Hill, C. L., Leo, A., Alhusaini, A., Soubrane, C., Mazzarella, E., Russo, E.,Whalley, B. J., Di Marzo, V., and Stephens, G. J. (2014). Nonpsychotropic Plant Cannabinoids, Cannabidivarin (CBDV) and Cannabidiol (CBD), Activate and Desensitize Transient Receptor Potential Vanilloid 1 (TRPV1) Channels in Vitro: Potential for the Treatment of Neuronal Hyperexcitability. ACS Chem Neurosci *5*, 1131-1141.

Israelsen, W. J., and Vander Heiden, M. G. (2010). ATP consumption promotes cancer metabolism. Cell *143*, 669-671.

Ito, A., Kawaguchi, Y., Lai, C. H., Kovacs, J. J., Higashimoto, Y., Appella, E., and Yao, T. P. (2002). MDM2-HDAC1-mediated deacetylation of p53 is required for its degradation. EMBO J *21*, 6236-6245.

Iversen, L. (2001). Cannabinoids in pain management. Few well controlled trials of cannabis exist for systemic review. BMJ *323*, 1250; author reply 1250-1251.

Izzo, A. A., Borrelli, F., Capasso, R., Di Marzo, V., and Mechoulam, R. (2009). Nonpsychotropic plant cannabinoids: new therapeutic opportunities from an ancient herb. Trends Pharmacol Sci *30*, 515-527.

Izzo, A. A., and Sharkey, K. A. (2010). Cannabinoids and the gut: new developments and emerging concepts. Pharmacol Ther *126*, 21-38.

Jackson, S. P., and Schoenwaelder, S. M. (2010). Procoagulant platelets: are they necrotic? Blood *116*, 2011-2018.

Jaffe, N., Frei, E., Traggis, D., and Bishop, Y. (1974). Adjuvant methotrexate and citrovorum-factor treatment of osteogenic sarcoma. N Engl J Med *291*, 994-997.

Jeon, S. M., Chandel, N. S., and Hay, N. (2012). AMPK regulates NADPH homeostasis to promote tumour cell survival during energy stress. Nature *485*, 661-665.

Jeong, W. S., Jun, M. and Kong, A. N. (2006) 'Nrf2: a potential molecular target for cancer chemoprevention by natural compounds', *Antioxid Redox Signal*, 8(1-2), 99106.

Jiang, Y., Zou, L., Lu, W. Q., Zhang, Y., and Shen, A. G. (2013). Foxo3a expression is a prognostic marker in breast cancer. PLoS One *8*, e70746.

Joensuu, H., Holli, K., Heikkinen, M., Suonio, E., Aro, A. R., Hietanen, P., and Huovinen, R. (1998). Combination chemotherapy versus single-agent therapy as first- and second-line treatment in metastatic breast cancer: a prospective randomized trial. J Clin Oncol *16*, 3720-3730.

Jones, N. A., Glyn, S. E., Akiyama, S., Hill, T. D., Hill, A. J., Weston, S. E., Burnett, M. D., Yamasaki, Y., Stephens, G. J., Whalley, B. J., and Williams, C. M. (2012). Cannabidiol exerts anti-convulsant effects in animal models of temporal lobe and partial seizures. Seizure *21*, 344-352.

Jordan, P., and Carmo-Fonseca, M. (2000). Molecular mechanisms involved in cisplatin cytotoxicity. Cell Mol Life Sci *57*, 1229-1235.

Joy, J. E., Watson, S. J., Benson, J. A., Neuroscience, I. o. M. D. o., and Health, B. (1999). Marijuana and medicine: assessing the science base: National Academy Press).

Kawai, Y., Nakao, T., Kunimura, N., Kohda, Y., and Gemba, M. (2006). Relationship of intracellular calcium and oxygen radicals to Cisplatin-related renal cell injury. J Pharmacol Sci *100*, 65-72.

Kensler, T. W., Wakabayashi, N., and Biswal, S. (2007). Cell survival responses to environmental stresses via the Keap1-Nrf2-ARE pathway. Annu Rev Pharmacol Toxicol *47*, 89-116.

Khasabova, I. A., Khasabov, S., Paz, J., Harding-Rose, C., Simone, D. A., and Seybold, V. S. (2012). Cannabinoid type-1 receptor reduces pain and neurotoxicity produced by chemotherapy. J Neurosci *32*, 7091-7101.

Kim, D. H., Jung, Y. J., Lee, J. E., Lee, A. S., Kang, K. P., Lee, S., Park, S. K., Han, M. K., Lee, S. Y., Ramkumar, K. M., et al. (2011a). SIRT1 activation by resveratrol ameliorates cisplatin-induced renal injury through deacetylation of p53. Am J Physiol Renal Physiol *301*, F427-435.

Kim, S., Jin, Y., Choi, Y., and Park, T. (2011b). Resveratrol exerts anti-obesity effects via mechanisms involving down-regulation of adipogenic and inflammatory processes in mice. Biochem Pharmacol *81*, 1343-1351.

Kim, S. J., Park, C., Han, A. L., Youn, M. J., Lee, J. H., Kim, Y., Kim, E. S., Kim, H. J., Kim,J. K., Lee, H. K., et al. (2009). Ebselen attenuates cisplatin-induced ROS generation through Nrf2 activation in auditory cells. Hear Res *251*, 70-82.

Koczor, C. A., Torres, R. A., Fields, E. J., Boyd, A., and Lewis, W. (2013). Mitochondrial matrix P53 sensitizes cells to oxidative stress. Mitochondrion *13*, 277-281.

Kode, A., Rajendrasozhan, S., Caito, S., Yang, S. R., Megson, I. L., and Rahman, I. (2008). Resveratrol induces glutathione synthesis by activation of Nrf2 and protects against cigarette smoke-mediated oxidative stress in human lung epithelial cells. Am J Physiol Lung Cell Mol Physiol *294*, L478-488.

Kondratskyi, A., Kondratska, K., Skryma, R., and Prevarskaya, N. (2014). Ion channels in the regulation of apoptosis. Biochimica et Biophysica Acta.

Kroon, A. M., and Taanman, J. (2014). Mitochondria and cancer: The Warburg Effect. Chemotherapy *3*, 2.

Kuhar, M., Imran, S., and Singh, N. (2007). Curcumin and Quercetin Combined with Cisplatin to Induce Apoptosis in Human Laryngeal Carcinoma Hep-2 Cells through the Mitochondrial Pathway. Journal of Cancer Molecules *3*, 121-128.

Kuhar, M., Sen, S., and Singh, N. (2006). Role of mitochondria in quercetin-enhanced chemotherapeutic response in human non-small cell lung carcinoma H-520 cells. Anticancer Res *26*, 1297-1303.

Kumar, A., and Singh, S. M. (2012). Priming effect of aspirin for tumor cells to augment cytotoxic action of cisplatin against tumor cells: implication of altered constitution of tumor microenvironment, expression of cell cycle, apoptosis, and survival regulatory molecules. Mol Cell Biochem *371*, 43-54.

Kunnumakkara, A. B., Guha, S., Krishnan, S., Diagaradjane, P., Gelovani, J., and Aggarwal, B. B. (2007). Curcumin potentiates antitumor activity of gemcitabine in an orthotopic model of pancreatic cancer through suppression of proliferation, angiogenesis, and inhibition of nuclear factor-kappaB-regulated gene products. Cancer Res *67*, 3853-3861.

Kuznetsov, A. V., Kehrer, I., Kozlov, A. V., Haller, M., Redl, H., Hermann, M., Grimm, M., and Troppmair, J. (2011a). Mitochondrial ROS production under cellular stress: comparison of different detection methods. Anal Bioanal Chem *400*, 2383-2390.

Kuznetsov, A. V., Margreiter, R., Amberger, A., Saks, V., and Grimm, M. (2011b). Changes in mitochondrial redox state, membrane potential and calcium precede mitochondrial dysfunction in doxorubicin-induced cell death. Biochim Biophys Acta *1813*, 1144-1152.

Lagouge, M., Argmann, C., Gerhart-Hines, Z., Meziane, H., Lerin, C., Daussin, F., Messadeq, N., Milne, J., Lambert, P., Elliott, P., et al. (2006). Resveratrol improves mitochondrial function and protects against metabolic disease by activating SIRT1 and PGC-1alpha. Cell *127*, 1109-1122.

Lan, A., Lagadic-Gossmann, D., Lemaire, C., Brenner, C., and Jan, G. (2007). Acidic extracellular pH shifts colorectal cancer cell death from apoptosis to necrosis upon exposure to propionate and acetate, major end-products of the human probiotic propionibacteria. Apoptosis *12*, 573-591.

Lastres-Becker, I., Molina-Holgado, F., Ramos, J. A., Mechoulam, R., and Fernandez-Ruiz, J. (2005). Cannabinoids provide neuroprotection against 6-hydroxydopamine toxicity in vivo and in vitro: relevance to Parkinson's disease. Neurobiol Dis *19*, 96-107.

Lau, A., Villeneuve, N. F., Sun, Z., Wong, P. K., and Zhang, D. D. (2008). Dual roles of Nrf2 in cancer. Pharmacol Res *58*, 262-270.

Lee, J., Giordano, S., and Zhang, J. (2012a). Autophagy, mitochondria and oxidative stress: cross-talk and redox signalling. Biochem J *441*, 523-540.

Lee, M. J., Ye, A. S., Gardino, A. K., Heijink, A. M., Sorger, P. K., MacBeath, G., and Yaffe, M. B. (2012b). Sequential application of anticancer drugs enhances cell death by rewiring apoptotic signaling networks. Cell *149*, 780-794.

Lemberger, L., Silberstein, S. D., Axelrod, J., and Kopin, I. J. (1970). Marihuana: Studies on the Disposition and Metabolism of Delta-9-Tetrahydrocannabinol in Man. Science *170*, 1320-1322.

Leschelle, X., Delpal, S., Goubern, M., Blottière, H. M., and Blachier, F. (2000). Butyrate metabolism upstream and downstream acetyl-CoA synthesis and growth control of human colon carcinoma cells. Eur J Biochem *267*, 6435-6442.

Levine, A. J., and Puzio-Kuter, A. M. (2010). The control of the metabolic switch in cancers by oncogenes and tumor suppressor genes. Science *330*, 1340-1344.

Li, H.-L. (1973). An archaeological and historical account of cannabis in China. Economic Botany *28*, 437-448.

Li, M. C., Hertz, R., and Bergenstal, D. M. (1958). Therapy of Choriocarcinoma and Related Trophoblastic Tumors with Folic Acid and Purine Antagonists. In, (The New England Journal of Medicine), pp. 66-74.

Li, W., Khor, T. O., Xu, C., Shen, G., Jeong, W. S., Yu, S., and Kong, A. N. (2008). Activation of Nrf2-antioxidant signaling attenuates NFkappaB-inflammatory response and elicits apoptosis. Biochem Pharmacol *76*, 1485-1489.

Ligresti, A., Moriello, A. S., Starowicz, K., Matias, I., Pisanti, S., De Petrocellis, L., Laezza, C., Portella, G., Bifulco, M., and Di Marzo, V. (2006). Antitumor activity of plant cannabinoids with emphasis on the effect of cannabidiol on human breast carcinoma. Journal of Pharmacology and Experimental Therapeutics *318*, 1375-1387.

Lim, C. T., Kola, B., Feltrin, D., Perez-Tilve, D., Tschöp, M. H., Grossman, A. B., and Korbonits, M. (2013). Ghrelin and cannabinoids require the ghrelin receptor to affect cellular energy metabolism. Mol Cell Endocrinol *365*, 303-308.

Lim, M. P., Devi, L. A., and Rozenfeld, R. (2011). Cannabidiol causes activated hepatic stellate cell death through a mechanism of endoplasmic reticulum stress-induced apoptosis. Cell Death Dis *2*, e170.

Lin, H.-H., Shi, M.-D., Tseng, H.-C., and Chen, J.-H. (2014). Andrographolide Sensitizes the Cytotoxicity of Human Colorectal Carcinoma Cells Toward Cisplatin via Enhancing Apoptosis Pathways In Vitro and In Vivo. Toxicological Sciences *139*, 108-120.

Lisanti, M. P., Martinez-Outschoorn, U. E., Chiavarina, B., Pavlides, S., Whitaker-Menezes, D., Tsirigos, A., Witkiewicz, A., Lin, Z., Balliet, R., Howell, A., and Sotgia, F. (2010). Understanding the "lethal" drivers of tumor-stroma co-evolution: emerging role(s) for hypoxia, oxidative stress and autophagy/mitophagy in the tumor micro-environment. Cancer Biol Ther *10*, 537-542.

Liu, D., and Han, C. (2014). Oxidative stress and endoplasmic reticulum stress induced hepatic steatosis. Biochemistry and biotechnology research *2*, 6-11.

Liu, P., Gan, W., Inuzuka, H., Lazorchak, A. S., Gao, D., Arojo, O., Liu, D., Wan, L., Zhai, B., Yu, Y., et al. (2013). Sin1 phosphorylation impairs mTORC2 complex integrity and inhibits downstream Akt signalling to suppress tumorigenesis. Nat Cell Biol *15*, 1340-1350.

Luo, H., Yang, A., Schulte, B. A., Wargovich, M. J., and Wang, G. Y. (2013). Resveratrol induces premature senescence in lung cancer cells via ROS-mediated DNA damage. PLoS One *8*, e60065.

Luo, J., Su, F., Chen, D., Shiloh, A. and Gu, W. (2000) 'Deacetylation of p53 modulates its effect on cell growth and apoptosis', *Nature*, 408(6810), 377-81.

Luo, Z., Zang, M. and Guo, W. (2010) 'AMPK as a metabolic tumor suppressor: control of metabolism and cell growth', *Future Oncol*, 6(3), 457-70.

Lynch, M. E., and Campbell, F. (2011). Cannabinoids for treatment of chronic non-cancer pain; a systematic review of randomized trials. Br J Clin Pharmacol *72*, 735-744.

Maccarrone, M., Dainese, E., and Oddi, S. (2010). Intracellular trafficking of anandamide: new concepts for signaling. Trends Biochem Sci *35*, 601-608.

Macpherson, T., Armstrong, J. A., Criddle, D. N., and Wright, K. L. (2014). Physiological intestinal oxygen modulates the Caco-2 cell model and increases sensitivity to the phytocannabinoid cannabidiol. In Vitro Cell Dev Biol Anim *50*, 417-426.

Madesh, M., and Hajnóczky, G. (2001). VDAC-dependent permeabilization of the outer mitochondrial membrane by superoxide induces rapid and massive cytochrome c release. J Cell Biol *155*, 1003-1015.

Malfait, A. M., Gallily, R., Sumariwalla, P. F., Malik, A. S., Andreakos, E., Mechoulam, R., and Feldmann, M. (2000). The nonpsychoactive cannabis constituent cannabidiol is an oral anti-arthritic therapeutic in murine collagen-induced arthritis. Proc Natl Acad Sci U S A *97*, 9561-9566.

Malvezzi, M., Bertuccio, P., Levi, F., La Vecchia, C., and Negri, E. (2013). European cancer mortality predictions for the year 2013. Ann Oncol *24*, 792-800.

Mannaa, M., Krämer, S., Boschmann, M., and Gollasch, M. (2013). mTOR and regulation of energy homeostasis in humans. J Mol Med (Berl) *91*, 1167-1175.

Marmot, M. G., Altman, D. G., Cameron, D. A., Dewar, J. A., Thompson, S. G., and Wilcox, M. (2013). The benefits and harms of breast cancer screening: an independent review. Br J Cancer *108*, 2205-2240.

Martin-Montalvo, A., Villalba, J. M., Navas, P., and de Cabo, R. (2011). NRF2, cancer and calorie restriction. Oncogene *30*, 505-520.

Martindale, J. L., and Holbrook, N. J. (2002). Cellular response to oxidative stress: signaling for suicide and survival. J Cell Physiol *192*, 1-15.

Martins, N. M., Santos, N. A., Curti, C., Bianchi, M. L., and Santos, A. C. (2008). Cisplatin induces mitochondrial oxidative stress with resultant energetic metabolism impairment, membrane rigidification and apoptosis in rat liver. J Appl Toxicol *28*, 337-344.

Martín-Peláez, S., Covas, M. I., Fitó, M., Kušar, A., and Pravst, I. (2013). Health effects of olive oil polyphenols: recent advances and possibilities for the use of health claims. Mol Nutr Food Res *57*, 760-771.

Marullo, R., Werner, E., Degtyareva, N., Moore, B., Altavilla, G., Ramalingam, S. S., and Doetsch, P. W. (2013). Cisplatin induces a mitochondrial-ROS response that contributes to cytotoxicity depending on mitochondrial redox status and bioenergetic functions. PLoS One *8*, e81162.

Massi, P., Solinas, M., Cinquina, V., and Parolaro, D. (2013). Cannabidiol as potential anticancer drug. British Journal of Clinical Pharmacology *75*, 303-312.

Mathiasen, I. S., Sergeev, I. N., Bastholm, L., Elling, F., Norman, A. W., and Jäättelä, M. (2002). Calcium and calpain as key mediators of apoptosis-like death induced by vitamin D compounds in breast cancer cells. J Biol Chem *277*, 30738-30745.

Matias, I., and Di Marzo, V. (2007). Endocannabinoids and the control of energy balance. Trends Endocrinol Metab *18*, 27-37.

Matoba, S., Kang, J.-G., Patino, W. D., Wragg, A., Boehm, M., Gavrilova, O., Hurley, P. J., Bunz, F., and Hwang, P. M. (2006). p53 Regulates Mitochondrial Respiration. Science *312*, 1650-1653.

Matsuda, L. A., Lolait, S. J., Brownstein, M. J., Young, A. C., and Bonner, T. I. (1990). Structure of a cannabinoid receptor and functional expression of the cloned cDNA. Nature *346*, 561-564.

Mayer, B., and Oberbauer, R. (2003). Mitochondrial regulation of apoptosis. News Physiol Sci *18*, 89-94.

Mañes, S., Mira, E., Colomer, R., Montero, S., Real, L. M., Gómez-Moutón, C., JiménezBaranda, S., Garzón, A., Lacalle, R. A., Harshman, K., et al. (2003). CCR5 expression influences the progression of human breast cancer in a p53-dependent manner. J Exp Med *198*, 1381-1389.

McAllister, S. D., and Desprez, P. (2014). Methods and composition for treating cancer. In, S.F. Sutter West Bay Hospitals, CA (USA), US Patent: us 2014/0065243 A1.

McAllister, S. D., Murase, R., Christian, R. T., Lau, D., Zielinski, A. J., Allison, J., Almanza, C., Pakdel, A., Lee, J., Limbad, C., et al. (2011). Pathways mediating the effects of cannabidiol on the reduction of breast cancer cell proliferation, invasion, and metastasis. Breast Cancer Research and Treatment *129*, 37-47.

McKallip, R. J., Lombard, C., Fisher, M., Martin, B. R., Ryu, S., Grant, S., Nagarkatti, P. S. and Nagarkatti, M. (2002a) 'Targeting CB2 cannabinoid receptors as a novel therapy to treat malignant lymphoblastic disease', *Blood*, 100(2), 627-34.

McKallip, R. J., Lombard, C., Martin, B. R., Nagarkatti, M., and Nagarkatti, P. S. (2002b). Delta(9)-tetrahydrocannabinol-induced apoptosis in the thymus and spleen as a mechanism of immunosuppression in vitro and in vivo. The Journal of pharmacology and experimental therapeutics *302*, 451-465.

McWalter, G. K., Higgins, L. G., McLellan, L. I., Henderson, C. J., Song, L., Thornalley, P. J., Itoh, K., Yamamoto, M., and Hayes, J. D. (2004). Transcription factor Nrf2 is essential for induction of NAD(P)H:quinone oxidoreductase 1, glutathione S-transferases, and glutamate cysteine ligase by broccoli seeds and isothiocyanates. J Nutr *134*, 3499S-3506S.

Mecha, M., Torrao, A. S., Mestre, L., Carrillo-Salinas, F. J., Mechoulam, R., and Guaza, C. (2012). Cannabidiol protects oligodendrocyte progenitor cells from inflammation-induced apoptosis by attenuating endoplasmic reticulum stress. Cell Death Dis *3*, e331.

Mechoulam, R. (1986). Cannabinoids as therapeutic agents, (Boca Raton, Fla.: CRC Press).

Mechoulam, R., and Hanus, L. (2000). A historical overview of chemical research on cannabinoids. Chem Phys Lipids *108*, 1-13.

Mei, Y., Thompson, M. D., Cohen, R. A., and Tong, X. (2014). Autophagy and oxidative stress in cardiovascular diseases. Biochim Biophys Acta.

Miles, D. W., Happerfield, L. C., Naylor, M. S., Bobrow, L. G., Rubens, R. D. and Balkwill, F. R. (1994) 'Expression of tumour necrosis factor (TNF alpha) and its receptors in benign and malignant breast tissue', *Int J Cancer*, 56(6), 777-82.

Moertel, C. G., Fleming, T. R., Macdonald, J. S., Haller, D. G., Laurie, J. A., Goodman, P. J., Ungerleider, J. S., Emerson, W. A., Tormey, D. C., and Glick, J. H. (1990). Levamisole and fluorouracil for adjuvant therapy of resected colon carcinoma. N Engl J Med *322*, 352-358.

Moreira, L., Araújo, I., Costa, T., Correia-Branco, A., Faria, A., Martel, F., and Keating, E. (2013). Quercetin and epigallocatechin gallate inhibit glucose uptake and metabolism by breast cancer cells by an estrogen receptor-independent mechanism. Exp Cell Res *319*, 1784-1795.

Morelli, M. B., Offidani, M., Alesiani, F., Discepoli, G., Liberati, S., Olivieri, A., Santoni, M., Santoni, G., Leoni, P., and Nabissi, M. (2014). The effects of cannabidiol and its synergism with bortezomib in multiple myeloma cell lines. A role for transient receptor potential vanilloid type-2. Int J Cancer *134*, 2534-2546.

Morita, M., Gravel, S. P., Chénard, V., Sikström, K., Zheng, L., Alain, T., Gandin, V., Avizonis, D., Arguello, M., Zakaria, C., et al. (2013). mTORC1 controls mitochondrial activity and biogenesis through 4E-BP-dependent translational regulation. Cell Metab *18*, 698-711.

Morito, N., Yoh, K., Itoh, K., Hirayama, A., Koyama, A., Yamamoto, M., and Takahashi, S. (2003). Nrf2 regulates the sensitivity of death receptor signals by affecting intracellular glutathione levels. Oncogene *22*, 9275-9281.

Morozov, Y. M., Dominguez, M. H., Varela, L., Shanabrough, M., Koch, M., Horvath, T. L., and Rakic, P. (2013). Antibodies to cannabinoid type 1 receptor co-react with stomatin-like protein 2 in mouse brain mitochondria. Eur J Neurosci *38*, 2341-2348.

Moxley, J. H., De Vita, V. T., Brace, K., and Frei, E. (1967). Intensive combination chemotherapy and X-irradiation in Hodgkin's disease. Cancer Res *27*, 1258-1263.

Mu, G. G., Zhang, L. L., Li, H. Y., Liao, Y., and Yu, H. G. (2014). Thymoquinone Pretreatment Overcomes the Insensitivity and Potentiates the Antitumor Effect of Gemcitabine Through Abrogation of Notch1, PI3K/Akt/mTOR Regulated Signaling Pathways in Pancreatic Cancer. Dig Dis Sci, [Epub ahead of print] DOI: 10.1007/s10620-014-3394-x

Munoz-Pinedo, C., El Mjiyad, N., and Ricci, J. E. (2012). Cancer metabolism: current perspectives and future directions. Cell Death Dis *3*, e248.

Munro, S., Thomas, K. L., and Abu-Shaar, M. (1993). Molecular characterization of a peripheral receptor for cannabinoids. Nature *365*, 61-65.

Muscella, A., Calabriso, N., Vetrugno, C., Fanizzi, F. P., De Pascali, S. A., Storelli, C., and Marsigliante, S. (2011). The platinum (II) complex [Pt(O,O'-acac)(γ-acac)(DMS)] alters the intracellular calcium homeostasis in MCF-7 breast cancer cells. Biochem Pharmacol *81*, 91103.

Musty, R. E. (2004) 'Natural cannabinoids: interactions and effects' in Guy, G. W., Whittle, B. A. and Robson, P. J., eds., *The Medicinal Uses of Cannabis and Cannabinoids*, Great Britain: Pharmaceutical Press, 488.

Mutch, R. S., and Hutson, P. R. (1991). Levamisole in the adjuvant treatment of colon cancer. Clin Pharm *10*, 95-109.

Muñoz-Pinedo, C., González-Suárez, E., Portela, A., Gentilella, A., and Esteller, M. (2013). Exploiting tumor vulnerabilities: epigenetics, cancer metabolism and the mTOR pathway in the era of personalized medicine. Cancer Res *73*, 4185-4189.

Na, H. K., and Surh, Y. J. (2008). Modulation of Nrf2-mediated antioxidant and detoxifying enzyme induction by the green tea polyphenol EGCG. Food Chem Toxicol *46*, 1271-1278.

Nabavi, A. F., Moghaddam, A. H., Habtemariam, S., and Nabavi, S. M. (2014). Curcumin and liver disease: from chemistry to medicine. Comprehensive reviews in food science and food safety *13*, 62-77.

Nadulski, T., Sporkert, F., Schnelle, M., Stadelmann, A. M., Roser, P., Schefter, T. and Pragst, F. (2005) 'Simultaneous and Sensitive Analysis of THC, 11-OH-THC, THCCOOH, CBD, and CBN by GCMS in Plasma after Oral Application of Small Doses of THC and Cannabis Extract', *J Anal Toxicol*, 29(8), 782-789.

Nakanishi, C., and Toi, M. (2005). Nuclear factor-kappaB inhibitors as sensitizers to anticancer drugs. Nat Rev Cancer *5*, 297-309.

Namani, A., Li, Y., Wang, X. J., and Tang, X. (2014). Modulation of NRF2 signaling pathway by nuclear receptors: implications for cancer. Biochim Biophys Acta *1843*, 1875-1885.

Nelson, D. L., and Cox, M. M. (2006). Lehninger: Principles of Biochemistry, Fourth edn).

Neumann, D., Woods, A., Carling, D., Wallimann, T., and Schlattner, U. (2003). Mammalian AMP-activated protein kinase: functional, heterotrimeric complexes by co-expression of subunits in Escherichia coli. Protein Expr Purif *30*, 230-237.

Nunn, A. V., Guy, G. W., and Bell, J. D. (2010). Endocannabinoids, FOXO and the metabolic syndrome: redox, function and tipping point--the view from two systems. Immunobiology *215*, 617-628.

O'Shaughnessy, W. B. (1843). On the preparations of Indian Hemp, or Gunjah. Provincial Medical Journal and Retrospect of the Medical Sciences *5*, 363-369.

Oh, J. H., Lee, J. Y., Baeg, M. K., Han, K. H., Choi, M. G., and Park, J. M. (2013). Antineoplastic effect of WIN 55,212-2, a cannabinoid agonist, in a murine xenograft model of gastric cancer. Chemotherapy *59*, 200-206.

Ohtsuji, M., Katsuoka, F., Kobayashi, A., Aburatani, H., Hayes, J. D., and Yamamoto, M. (2008). Nrf1 and Nrf2 play distinct roles in activation of antioxidant response elementdependent genes. J Biol Chem *283*, 33554-33562.

Ojuka, E. O. (2004). Role of calcium and AMP kinase in the regulation of mitochondrial biogenesis and GLUT4 levels in muscle. Proc Nutr Soc *63*, 275-278.

Ouyang, L., Shi, Z., Zhao, S., Wang, F. T., Zhou, T. T., Liu, B., and Bao, J. K. (2012). Programmed cell death pathways in cancer: a review of apoptosis, autophagy and programmed necrosis. Cell Prolif *45*, 487-498.

Ozols, R. F. (1991). Ovarian cancer: new clinical approaches. Cancer Treat Rev *18* Suppl A, 77-83.

Park, S. W., Kim, J. E., Oh, S. M., Cha, W. J., Hah, J. H., and Sung, M. W. (2014). Anticancer effects of anandamide on head and neck squamous cell carcinoma cells via the production of receptor-independent reactive oxygen species. Head Neck. [Epub ahead of print] DOI: 10.1002/hed.23727

Parkash, J., and Asotra, K. (2010). Calcium wave signaling in cancer cells. Life Sci *87*, 587595.

Parolaro, D., Massi, P., Rubino, T., and Monti, E. (2002). Endocannabinoids in the immune system and cancer. Prostaglandins, Leukotrienes and Essential Fatty Acids *66*, 319-332.

Pastorino, J. G., Hoek, J. B., and Shulga, N. (2005). Activation of glycogen synthase kinase 3beta disrupts the binding of hexokinase II to mitochondria by phosphorylating voltagedependent anion channel and potentiates chemotherapy-induced cytotoxicity. Cancer Res *65*, 10545-10554.

Pelicano, H., Martin, D. S., Xu, R. H., and Huang, P. (2006). Glycolysis inhibition for anticancer treatment. Oncogene *25*, 4633-4646.

Pertwee, R. G., Howlett, A. C., Abood, M. E., Alexander, S. P., Di Marzo, V., Elphick, M. R.,Greasley, P. J., Hansen, H. S., Kunos, G., Mackie, K., et al. (2010). International Union of Basic and Clinical Pharmacology. LXXIX. Cannabinoid receptors and their ligands: beyond CB_1 and CB_2. Pharmacol Rev *62*, 588-631.

Pharmaceuticals, GW. (2011). Sativex. Available at: http://www.gwpharm.com/sativex.aspx (Accessed: 12 August 2011)

Pi, J., Bai, Y., Reece, J. M., Williams, J., Liu, D., Freeman, M. L., Fahl, W. E., Shugar, D., Liu, J., Qu, W., et al. (2007). Molecular mechanism of human Nrf2 activation and degradation: role of sequential phosphorylation by protein kinase CK2. Free Radic Biol Med *42*, 17971806.

Pike, L. J. (2003). Lipid rafts: bringing order to chaos. J Lipid Res *44*, 655-667.

Pinton, P., Ferrari, D., Rapizzi, E., Di Virgilio, F., Pozzan, T., and Rizzuto, R. (2001). The Ca2+ concentration of the endoplasmic reticulum is a key determinant of ceramide-induced apoptosis: significance for the molecular mechanism of Bcl-2 action. EMBO J *20*, 2690-2701.

Plasse, T. F., Gorter, R. W., Krasnow, S. H., Lane, M., Shepard, K. V., and Wadleigh, R. G. (1991). Recent clinical experience with dronabinol. Pharmacology, biochemistry, and behavior *40*, 695-700.

Pozo-Guisado, E., Alvarez-Barrientos, A., Mulero-Navarro, S., Santiago-Josefat, B., and Fernandez-Salguero, P. M. (2002). The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle. Biochem Pharmacol *64*, 1375-1386.

Prakash, O., Kumar, A., Kumar, P., and Ajeet (2013). Anticancer potential of plants and natural products: a review. American journal of pharmacological sciences *1*, 104-115.

Prasad, S. B., Yadav, S. S., Das, M., Govardhan, H. B., Pandey, L. K., Singh, S., Pradhan, S., and Narayan, G. (2014). Down Regulation of FOXO1 Promotes Cell Proliferation in Cervical Cancer. J Cancer *5*, 655-662.

Prevarskaya, N., Skryma, R., and Shuba, Y. (2004). Ca2+ homeostasis in apoptotic resistance of prostate cancer cells. Biochem Biophys Res Commun *322*, 1326-1335.

Prevarskaya, N., Skryma, R., and Shuba, Y. (2011). Calcium in tumour metastasis: new roles for known actors. Nat Rev Cancer *11*, 609-618.

Price, N. L., Gomes, A. P., Ling, A. J., Duarte, F. V., Martin-Montalvo, A., North, B. J., Agarwal, B., Ye, L., Ramadori, G., Teodoro, J. S., et al. (2012). SIRT1 is required for AMPK activation and the beneficial effects of resveratrol on mitochondrial function. Cell Metab *15*, 675-690.

Putral, L. N., Bywater, M. J., Gu, W., Saunders, N. A., Gabrielli, B. G., Leggatt, G. R., and McMillan, N. A. (2005). RNA interference against human papillomavirus oncogenes in cervical cancer cells results in increased sensitivity to cisplatin. Mol Pharmacol *68*, 13111319.

Quartilho, A., Mata, H. P., Ibrahim, M. M., Vanderah, T. W., Porreca, F., Makriyannis, A. and Malan, T. P. (2003) 'Inhibition of inflammatory hyperalgesia by activation of peripheral CB2 cannabinoid receptors', *Anesthesiology*, 99(4), 955-60.

Ramer, R., Bublitz, K., Freimuth, N., Merkord, J., Rohde, H., Haustein, M., Borchert, P., Schmuhl, E., Linnebacher, M., and Hinz, B. (2012). Cannabidiol inhibits lung cancer cell invasion and metastasis via intercellular adhesion molecule-1. FASEB J *26*, 1535-1548.

Ramer, R., Heinemann, K., Merkord, J., Rohde, H., Salamon, A., Linnebacher, M., and Hinz, B. (2013). COX-2 and PPAR-γ confer cannabidiol-induced apoptosis of human lung cancer cells. Mol Cancer Ther *12*, 69-82.

Ramos-Gomez, M., Dolan, P. M., Itoh, K., Yamamoto, M., and Kensler, T. W. (2003). Interactive effects of nrf2 genotype and oltipraz on benzo[a]pyrene-DNA adducts and tumor yield in mice. Carcinogenesis *24*, 461-467.

Rapizzi, E., Pinton, P., Szabadkai, G., Wieckowski, M. R., Vandecasteele, G., Baird, G., Tuft, R. A., Fogarty, K. E., and Rizzuto, R. (2002). Recombinant expression of the voltagedependent anion channel enhances the transfer of Ca2+ microdomains to mitochondria. J Cell Biol *159*, 613-624.

Rattan, R., Graham, R. P., Maguire, J. L., Giri, S., and Shridhar, V. (2011). Metformin suppresses ovarian cancer growth and metastasis with enhancement of cisplatin cytotoxicity in vivo. Neoplasia *13*, 483-491.

Reed, J. C. (2011). Priming Cancer Cells for Death. Science *334*, 1075-1076.

Rehman, H., Krishnasamy, Y., Haque, K., Thurman, R. G., Lemasters, J. J., Schnellmann, R. G., and Zhong, Z. (2013). Green tea polyphenols stimulate mitochondrial biogenesis and improve renal function after chronic cyclosporin a treatment in rats. PLoS One *8*, e65029.

Ren, D., Villeneuve, N. F., Jiang, T., Wu, T., Lau, A., Toppin, H. A., and Zhang, D. D. (2011). Brusatol enhances the efficacy of chemotherapy by inhibiting the Nrf2-mediated defense mechanism. Proc Natl Acad Sci U S A *108*, 1433-1438.

Reuter, S., Gupta, S. C., Chaturvedi, M. M., and Aggarwal, B. B. (2010). Oxidative stress, inflammation, and cancer: how are they linked? Free Radic Biol Med *49*, 1603-1616.

Riggs, P. K., Vaida, F., Rossi, S. S., Sorkin, L. S., Gouaux, B., Grant, I., and Ellis, R. J. (2012). A pilot study of the effects of cannabis on appetite hormones in HIV-infected adult men. Brain Res *1431*, 46-52.

Rimmerman, N., Ben-Hail, D., Porat, Z., Juknat, A., Kozela, E., Daniels, M. P., Connelly, P. S., Leishman, E., Bradshaw, H. B., Shoshan-Barmatz, V., and Vogel, Z. (2013). Direct modulation of the outer mitochondrial membrane channel, voltage-dependent anion channel 1 (VDAC1) by cannabidiol: a novel mechanism for cannabinoid-induced cell death. Cell Death Dis *4*, e949.

Rimmerman, N., Juknat, A., Kozela, E., Levy, R., Bradshaw, H. B., and Vogel, Z. (2011). The non-psychoactive plant cannabinoid, cannabidiol affects cholesterol metabolism-related genes in microglial cells. Cell Mol Neurobiol *31*, 921-930.

Rizzuto, R., Pinton, P., Ferrari, D., Chami, M., Szabadkai, G., Magalhães, P. J., Di Virgilio, F., and Pozzan, T. (2003). Calcium and apoptosis: facts and hypotheses. Oncogene *22*, 86198627.

Robson, P. (2001). Therapeutic aspects of cannabis and cannabinoids. Br J Psychiatry *178*, 107-115.

Robson, P. J. (2014). Therapeutic potential of cannabinoid medicines. Drug Test Anal *6*, 2430.

Romano, B., Borrelli, F., Pagano, E., Cascio, M. G., Pertwee, R. G., and Izzo, A. A. (2014). Inhibition of colon carcinogenesis by a standardized Cannabis sativa extract with high content of cannabidiol. Phytomedicine *21*, 631-639.

Roossink, F., de Jong, S., Wisman, G. B., van der Zee, A. G., and Schuuring, E. (2012). DNA hypermethylation biomarkers to predict response to cisplatin treatment, radiotherapy or chemoradiation: the present state of art. Cell Oncol (Dordr) *35*, 231-241.

Roques, B. P., Fournié-Zaluski, M. C., and Wurm, M. (2012). Inhibiting the breakdown of endogenous opioids and cannabinoids to alleviate pain. Nat Rev Drug Discov *11*, 292-310.

Russo, E. (2004). History of cannabis as a medicine. In The Medicinal Uses of Cannabis and Cannabinoids, G.W. Guy, B.A. Whittle, and P.J. Robson, eds. (Pharmaceutical Press), pp. 116, 488.

Russo, E., Burnett, A., Hall, B., and Parker, K. (2005). Agonistic Properties of Cannabidiol at 5-HT1a Receptors. Neurochemical Research *30*, 1037-1043.

Russo, E. B., Guy, G. W., and Robson, P. J. (2007). Cannabis, Pain, and Sleep: Lessons from Therapeutic Clinical Trials of Sativex®, a Cannabis-Based Medicine. Chemistry & Biodiversity *4*, 1729-1743.

Ryan, D., Drysdale, A. J., Lafourcade, C., Pertwee, R. G., and Platt, B. (2009). Cannabidiol targets mitochondria to regulate intracellular Ca2+ levels. J Neurosci *29*, 2053-2063.

Ryan-Ibarra, S., Induni, M., and Ewing, D. (2014). Prevalence of medical marijuana use in California, 2012. Drug Alcohol Rev [Epub ahead of print] DOI: 10.1111/dar.12207.

Sabharwal, S. S., and Schumacker, P. T. (2014). Mitochondrial ROS in cancer: initiators, amplifiers or an Achilles' heel? Nat Rev Cancer *14*, 709-721.

Saidak, Z., Mentaverri, R., and Brown, E. M. (2009). The role of the calcium-sensing receptor in the development and progression of cancer. Endocr Rev *30*, 178-195.

Samudio, I., Fiegl, M., and Andreeff, M. (2009). Mitochondrial uncoupling and the Warburg effect: molecular basis for the reprogramming of cancer cell metabolism. Cancer Res *69*, 2163-2166.

Sanchez, C., Guzman, M., Wright, S., Stott, C., Munoz Caffarel, M., Andradas, C., and Perz Gomez, E. (2014). Phytocannabinoids for use in the treatment of breast cancer. In, (United States of America: GW Pharma Limited) US Patent: 20140314757.

Sánchez, C., de Ceballos, M. L., Gomez del Pulgar, T., Rueda, D., Corbacho, C., Velasco, G., Galve-Roperh, I., Huffman, J. W., Ramón y Cajal, S., and Guzmán, M. (2001). Inhibition of glioma growth in vivo by selective activation of the CB(2) cannabinoid receptor. Cancer Res *61*, 5784-5789.

Santin, G., Piccolini, V. M., Barni, S., Veneroni, P., Giansanti, V., Dal Bo, V., Bernocchi, G., and Bottone, M. G. (2013). Mitochondrial fusion: a mechanism of cisplatin-induced resistance in neuroblastoma cells? Neurotoxicology *34*, 51-60.

Sarafian, T. A., Kouyoumjian, S., Khoshaghideh, F., Tashkin, D. P., and Roth, M. D. (2003). Delta 9-tetrahydrocannabinol disrupts mitochondrial function and cell energetics. Am J Physiol Lung Cell Mol Physiol *284*, L298-306.

Sarbassov, D. D., Guertin, D. A., Ali, S. M. and Sabatini, D. M. (2005) 'Phosphorylation and regulation of Akt/PKB by the rictor-mTOR complex', *Science*, 307(5712), 1098101.

Sarfaraz, S., Afaq, F., Adhami, V. M., and Mukhtar, H. (2005). Cannabinoid receptor as a novel target for the treatment of prostate cancer. Cancer Res *65*, 1635-1641.

Sarnataro, D., Grimaldi, C., Pisanti, S., Gazzerro, P., Laezza, C., Zurzolo, C., and Bifulco, M. (2005). Plasma membrane and lysosomal localization of CB1 cannabinoid receptor are dependent on lipid rafts and regulated by anandamide in human breast cancer cells. FEBS Lett *579*, 6343-6349.

Sarnataro, D., Pisanti, S., Santoro, A., Gazzerro, P., Malfitano, A. M., Laezza, C., and Bifulco, M. (2006). The cannabinoid CB1 receptor antagonist rimonabant (SR141716) inhibits human breast cancer cell proliferation through a lipid raft-mediated mechanism. Mol Pharmacol *70*, 1298-1306.

Sarosiek, K. A., Ni Chonghaile, T., and Letai, A. (2013). Mitochondria: gatekeepers of response to chemotherapy. Trends Cell Biol *23*, 612-619.

Schulze, A., and Harris, A. L. (2012). How cancer metabolism is tuned for proliferation and vulnerable to disruption. Nature *491*, 364-373.

Schweinsberg, P. D., and Loo, T. L. (1980). Simultaneous analysis of ATP, ADP, AMP, and other purines in human erythrocytes by high-performance liquid chromatography. J Chromatogr *181*, 103-107.

Scotland, S., Saland, E., Skuli, N., de Toni, F., Boutzen, H., Micklow, E., Sénégas, I., Peyraud, R., Peyriga, L., Théodoro, F., et al. (2013). Mitochondrial energetic and AKT status mediate metabolic effects and apoptosis of metformin in human leukemic cells. Leukemia *27*, 2129-2138.

Sena, L. A., and Chandel, N. S. (2012). Physiological roles of mitochondrial reactive oxygen species. Mol Cell *48*, 158-167.

Shackelford, D. B., and Shaw, R. J. (2009). The LKB1-AMPK pathway: metabolism and growth control in tumour suppression. Nat Rev Cancer *9*, 563-575.

Shankar, S., Singh, B. N., and Srivastava, R. K. (2012). Plant polyphenols and their rols in cancer prevention and chemotherapy. In Nutrition, Diet and Cancer, S. Shankar, and R.K. Srivastava, eds. (Netherlands: Springer Netherlands), pp. 209-234.

Sharma, H., Sen, S., and Singh, N. (2005). Molecular pathways in the chemosensitization of cisplatin by quercetin in human head and neck cancer. Cancer Biol Ther *4*, 949-955.

Sharma, P., Murthy, P., and Bharath, M. M. (2012). Chemistry, metabolism, and toxicology of cannabis: clinical implications. Iran J Psychiatry *7*, 149-156.

Sharma, S. K., Vij, A. S., and Sharma, M. (2013). Mechanisms and clinical uses of capsaicin. Eur J Pharmacol *720*, 55-62.

Shaw, R. J. (2009). LKB1 and AMP-activated protein kinase control of mTOR signalling and growth. Acta Physiol (Oxf) *196*, 65-80.

Shen, D. W., Pouliot, L. M., Hall, M. D., and Gottesman, M. M. (2012). Cisplatin resistance: a cellular self-defense mechanism resulting from multiple epigenetic and genetic changes. Pharmacol Rev *64*, 706-721.

Shen, Z., Wen, X. F., Lan, F., Shen, Z. Z., and Shao, Z. M. (2002). The tumor suppressor gene LKB1 is associated with prognosis in human breast carcinoma. Clin Cancer Res *8*, 2085-2090.

Shimizu, S., Narita, M., and Tsujimoto, Y. (1999). Bcl-2 family proteins regulate the release of apoptogenic cytochrome c by the mitochondrial channel VDAC. Nature *399*, 483-487.

Shoshan-Barmatz, V., and Ben-Hail, D. (2012). VDAC, a multi-functional mitochondrial protein as a pharmacological target. Mitochondrion *12*, 24-34.

Shoshan-Barmatz, V., Ben-Hail, D., Admoni, L., Krelin, Y., and Tripathi, S. S. (2014). The mitochondrial voltage-dependent anion channel 1 in tumor cells. Biochim Biophys Acta [Epub ahead of print] DOI: 10.1016/j.bbamem.2014.10.040.

Shoshan-Barmatz, V., De Pinto, V., Zweckstetter, M., Raviv, Z., Keinan, N., and Arbel, N. (2010a). VDAC, a multi-functional mitochondrial protein regulating cell life and death. Mol Aspects Med *31*, 227-285.

Shoshan-Barmatz, V., Keinan, N., Abu-Hamad, S., Tyomkin, D., and Aram, L. (2010b). Apoptosis is regulated by the VDAC1 N-terminal region and by VDAC oligomerization: release of cytochrome c, AIF and Smac/Diablo. Biochim Biophys Acta *1797*, 1281-1291.

Shrivastava, A., Kuzontkoski, P. M., Groopman, J. E., and Prasad, A. (2011). Cannabidiol induces programmed cell death in breast cancer cells by coordinating the cross-talk between apoptosis and autophagy. Mol Cancer Ther *10*, 1161-1172.

Shrotriya, S., Deep, G., Lopert, P., Patel, M., Agarwal, R., and Agarwal, C. (2014). Grape seed extract targets mitochondrial electron transport chain complex III and induces oxidative and metabolic stress leading to cytoprotective autophagy and apoptotic death in human head and neck cancer cells. Mol Carcinog [Epub ahead of print] DOI: 10.1002/mc.22246.

Shutt, T. E., and McBride, H. M. (2013). Staying cool in difficult times: mitochondrial dynamics, quality control and the stress response. Biochim Biophys Acta *1833*, 417-424.

Siddik, Z. H. (2003). Cisplatin: mode of cytotoxic action and molecular basis of resistance. Oncogene *22*, 7265-7279.

Siegel, R., Ma, J., Zou, Z., and Jemal, A. (2014). Cancer statistics, 2014. CA Cancer J Clin *64*, 9-29.

Sies, H. (2010). Polyphenols and health: update and perspectives. Arch Biochem Biophys *501*, 2-5.

Silvestri, C., and Di Marzo, V. (2013). The endocannabinoid system in energy homeostasis and the etiopathology of metabolic disorders. Cell Metab *17*, 475-490.

Simamura, E., Shimada, H., Hatta, T., and Hirai, K. (2008). Mitochondrial voltagedependent anion channels (VDACs) as novel pharmacological targets for anti-cancer agents. J Bioenerg Biomembr *40*, 213-217.

Singer, E., Judkins, J., Salomonis, N., Matlaf, L., Soteropoulos, P., McAllister, S., and Soroceanu, L. (2015). Reactive oxygen species-mediated therapeutic response and resistance in glioblastoma. Cell Death Dis *6*, e1601.

Solinas, M., Massi, P., Cantelmo, A. R., Cattaneo, M. G., Cammarota, R., Bartolini, D., Cinquina, V., Valenti, M., Vicentini, L. M., Noonan, D. M., et al. (2012). Cannabidiol inhibits angiogenesis by multiple mechanisms. Br J Pharmacol *167*, 1218-1231.

Somlo, G., Sniecinski, I., Odom-Maryon, T., Nowicki, B., Chow, W., Hamasaki, V., Leong, L., Margolin, K., Morgan, R., Raschko, J., et al. (1997). Effect of CD34+ selection and various schedules of stem cell reinfusion and granulocyte colony-stimulating factor priming on hematopoietic recovery after high-dose chemotherapy for breast cancer. Blood *89*, 15211528.

Son, Y. H., Jeong, Y. T., Lee, K. A., Choi, K. H., Kim, S. M., Rhim, B. Y., and Kim, K. (2008). Roles of MAPK and NF-kappaB in interleukin-6 induction by lipopolysaccharide in vascular smooth muscle cells. J Cardiovasc Pharmacol *51*, 71-77.

Song, W., Song, Y., Kincaid, B., Bossy, B., and Bossy-Wetzel, E. (2013). Mutant SOD1G93A triggers mitochondrial fragmentation in spinal cord motor neurons: neuroprotection by SIRT3 and PGC-1α. Neurobiol Dis *51*, 72-81.

Stella, N., Schweitzer, P., and Piomelli, D. (1997). A second endogenous cannabinoid that modulates long-term potentiation. Nature *388*, 773-778.

Sumantran, V. N. (2011). Cellular chemosensitivity assays: an overview. Methods Mol Biol *731*, 219-236.

Sun, R. J., Muller, S., Stoltz, J. F., and Wang, X. (2002). Shear stress induces caveolin-1 translocation in cultured endothelial cells. Eur Biophys J *30*, 605-611.

Symersky, J., Osowski, D., Walters, D. E., and Mueller, D. M. (2012). Oligomycin frames a common drug-binding site in the ATP synthase. Proc Natl Acad Sci U S A *109*, 13961-13965.

Szabadkai, G., Bianchi, K., Várnai, P., De Stefani, D., Wieckowski, M. R., Cavagna, D., Nagy, A. I., Balla, T., and Rizzuto, R. (2006). Chaperone-mediated coupling of endoplasmic reticulum and mitochondrial Ca2+ channels. J Cell Biol *175*, 901-911.

Szyf, M., Pakneshan, P., and Rabbani, S. A. (2004). DNA methylation and breast cancer. Biochem Pharmacol *68*, 1187-1197.

Tajeddine, N., Galluzzi, L., Kepp, O., Hangen, E., Morselli, E., Senovilla, L., Araujo, N., Pinna, G., Larochette, N., Zamzami, N., et al. (2008). Hierarchical involvement of Bak, VDAC1 and Bax in cisplatin-induced cell death. Oncogene *27*, 4221-4232.

Takahara, P. M., Rosenzweig, A. C., Frederick, C. A., and Lippard, S. J. (1995). CrystalStructure of Double-Stranded DNA Containing the Major Adduct of the Anticancer Drug Cisplatin. Nature *377*, 649-652.

Takeda, S., Okajima, S., Miyoshi, H., Yoshida, K., Okamoto, Y., Okada, T., Amamoto, T., Watanabe, K., Omiecinski, C. J., and Aramaki, H. (2012). Cannabidiolic acid, a major cannabinoid in fiber-type cannabis, is an inhibitor of MDA-MB-231 breast cancer cell migration. Toxicology Letters *214*, 314-319.

Tan, A. S., Baty, J. W., and Berridge, M. V. (2014). The role of mitochondrial electron transport in tumorigenesis and metastasis. Biochim Biophys Acta *1840*, 1454-1463.

Tantimonaco, M., Ceci, R., Sabatini, S., Catani, M. V., Rossi, A., Gasperi, V., and Maccarrone, M. (2014). Physical activity and the endocannabinoid system: an overview. Cell Mol Life Sci *71*, 2681-2698.

Terada, H. (1990). Uncouplers of oxidative phosphorylation. Environ Health Perspect *87*, 213-218.

Tewari, D., Ahmed, T., Chirasani, V. R., Singh, P. K., Maji, S. K., Senapati, S., and Bera, A. K. (2015). Modulation of the mitochondrial voltage dependent anion channel (VDAC) by curcumin. Biochim Biophys Acta *1848*, 151-158.

Tiwari, B. S., Belenghi, B., and Levine, A. (2002). Oxidative stress increased respiration and generation of reactive oxygen species, resulting in ATP depletion, opening of mitochondrial permeability transition, and programmed cell death. Plant Physiol *128*, 1271-1281.

Tramèr, M. R., Carroll, D., Campbell, F. A., Reynolds, D. J., Moore, R. A., and McQuay, H. J. (2001). Cannabinoids for control of chemotherapy induced nausea and vomiting: quantitative systematic review. BMJ *323*, 16-21.

Travassoli, F., and Devilee, P. (2003). Tumours of the Breast and Female Genital Organs 1edn: IARCPress-WHO).

Tu, Y., Kaipparettu, B. A., Ma, Y., and Wong, L. C. (2011). Mitochondria of highly metastatic breast cancer cell line MDA-MB-231 exhibits increased autophagic properties. Biochimica et Biophysica Acta *1807*, 1125-1132.

Tufekci, K. U., Civi Bayin, E., Genc, S., and Genc, K. (2011). The Nrf2/ARE Pathway: A Promising Target to Counteract Mitochondrial Dysfunction in Parkinson's Disease. Parkinsons Dis *2011*, 314082.

UK Government (2014). Misuse of Drugs Act 1971. Available at: http://www.legislation.gov.uk/ukpga/1971/38/schedule/2/part/II, p. Edited 2003/2010 (accessed: 15 November 2014).

Ungvari, Z., and Csiszar, A. (2011). Resveratrol confers endothelial protection in insulindependent diabetes mellitus: editorial to: "Resveratrol shows vasoprotective effect reducing oxidative stress without affecting metabolic disturbances in insulin-dependent diabetes of rabbits" by F. Akar et al. Cardiovasc Drugs Ther *25*, 111-113.

Ungvari, Z., Sonntag, W. E., de Cabo, R., Baur, J. A., and Csiszar, A. (2011). Mitochondrial protection by resveratrol. Exerc Sport Sci Rev *39*, 128-132.

Valvassori, S. S., Bavaresco, D. V., Scaini, G., Varela, R. B., Streck, E. L., Chagas, M. H., Hallak, J. E., Zuardi, A. W., Crippa, J. A., and Quevedo, J. (2013). Acute and chronic administration of cannabidiol increases mitochondrial complex and creatine kinase activity in the rat brain. Rev Bras Psiquiatr *35*, 380-386.

van Bakel, H., Stout, J. M., Cote, A. G., Tallon, C. M., Sharpe, A. G., Hughes, T. R., and Page, J. E. (2011). The draft genome and transcriptome of Cannabis sativa. Genome Biol *12*, R102.

Van Gaal, L. F., Rissanen, A. M., Scheen, A. J., Ziegler, O., Rössner, S., and Group, R.-E. S. (2005). Effects of the cannabinoid-1 receptor blocker rimonabant on weight reduction and cardiovascular risk factors in overweight patients: 1-year experience from the RIO-Europe study. Lancet *365*, 1389-1397.

van Maldegem, A. M., Benson, C., Rutkowski, P., Blay, J. Y., van den Berg, H., Placzke, J., Rasper, M., Judson, I., Juergens, H., Dirksen, U., and Gelderblom, H. (2015). Etoposide and carbo-or cisplatin combination therapy in refractory or relapsed Ewing sarcoma: a large retrospective study. Pediatr Blood Cancer *62*, 40-44.

van Meerloo, J., Kaspers, G. J., and Cloos, J. (2011). Cell sensitivity assays: the MTT assay. Methods Mol Biol *731*, 237-245.

Vander Heiden, M. G., Cantley, L. C., and Thompson, C. B. (2009). Understanding the Warburg Effect: The Metabolic Requirements of Cell Proliferation. Science *324*, 1029-1033.

Vara, D., Salazar, M., Olea-Herrero, N., Guzmán, M., Velasco, G., and Díaz-Laviada, I. (2011). Anti-tumoral action of cannabinoids on hepatocellular carcinoma: role of AMPKdependent activation of autophagy. Cell Death Differ *18*, 1099-1111.

Vaughan, R. A., Garcia-Smith, R., Dorsey, J., Griffith, J. K., Bisoffi, M., and Trujillo, K. A. (2013). Tumor necrosis factor alpha induces Warburg-like metabolism and is reversed by anti-inflammatory curcumin in breast epithelial cells. Int J Cancer *133*, 2504-2510.

Vazquez-Roque, M. I., Camilleri, M., Vella, A., Carlson, P., Laugen, J., and Zinsmeister, A. R. (2011). Association of genetic variation in cannabinoid mechanisms and gastric motor functions and satiation in overweight and obesity. Neurogastroenterol Motil *23*, 637-e257.

Velasco Diez, G., Guzman Pastor, M., Lorente, M., Torres, S., and Rosriguez, F. (2014). Anti-tumoural effects of cannabinoid combinations. In, (United States of America: GW Pharma Limited Otsuka Pharmaceutical Co., Limited) US Patent: 8,632,825 B2.

Velasco, G., Sánchez, C., and Guzmán, M. (2012). Towards the use of cannabinoids as antitumour agents. Nat Rev Cancer *12*, 436-444.

Ventura, A., Kirsch, D. G., McLaughlin, M. E., Tuveson, D. A., Grimm, J., Lintault, L., Newman, J., Reczek, E. E., Weissleder, R., and Jacks, T. (2007). Restoration of p53 function leads to tumour regression in vivo. Nature *445*, 661-665.

Vinod, B. S., Maliekal, T. T., and Anto, R. J. (2013). Phytochemicals as chemosensitizers: from molecular mechanism to clinical significance. Antioxid Redox Signal *18*, 1307-1348.

Vivanco, I., and Sawyers, C. L. (2002). The phosphatidylinositol 3-Kinase AKT pathway in human cancer. Nat Rev Cancer *2*, 489-501.

Vizán, P., Mazurek, S., and Cascante, M. (2008). Robust metabolic adaptation underlying tumor progression. Metabolomics *4*, 1-12.

Vogel, C. L., Cobleigh, M. A., Tripathy, D., Gutheil, J. C., Harris, L. N., Fehrenbacher, L., Slamon, D. J., Murphy, M., Novotny, W. F., Burchmore, M., et al. (2002). Efficacy and safety of trastuzumab as a single agent in first-line treatment of HER2-overexpressing metastatic breast cancer. J Clin Oncol *20*, 719-726.

WHO (2014). Cancer. Available at: http://www.who.int/cancer/en/ (Accessed: 4 November 2014).

Wade, M., Li, Y. C., and Wahl, G. M. (2013). MDM2, MDMX and p53 in oncogenesis and cancer therapy. Nat Rev Cancer *13*, 83-96.

Walker, J. M., and Huang, S. M. (2002). Cannabinoid analgesia. Pharmacol Ther *95*, 127135.

Wallace, D. C. (2012). Mitochondria and cancer. Nat Rev Cancer 1*2*, 685-698.

Walsh, D., Nelson, K. A., and Mahmoud, F. A. (2003). Established and potential therapeutic applications of cannabinoids in oncology. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer *11*, 137143.

Wang, B., Moya, N., Niessen, S., Hoover, H., Mihaylova, M. M., Shaw, R. J., Yates, J. R., 3rd, Fischer, W. H., Thomas, J. B. and Montminy, M. (2011) 'A hormone-dependent module regulating energy balance', *Cell*, 145(4), 596-606.

Wang, L., Chen, Y., Sternberg, P., and Cai, J. (2008). Essential roles of the PI3 kinase/Akt pathway in regulating Nrf2-dependent antioxidant functions in the RPE. Invest Ophthalmol Vis Sci *49*, 1671-1678.

Wang, P., Henning, S. M., and Heber, D. (2010). Limitations of MTT and MTS-based assays for measurement of antiproliferative activity of green tea polyphenols. PLoS One *5*, e10202.

Wang, S. B., Murray, C. I., Chung, H. S., and Van Eyk, J. E. (2013). Redox regulation of mitochondrial ATP synthase. Trends Cardiovasc Med *23*, 14-18.

Wang, X., Martindale, J. L., Liu, Y., and Holbrook, N. J. (1998). The cellular response to oxidative stress: influences of mitogen-activated protein kinase signalling pathways on cell survival. Biochem J *333 (Pt 2),* 291-300.

Warburg, O., Wind, F., and Negelein, E. (1927). THE METABOLISM OF TUMORS IN THE BODY. J Gen Physiol *8*, 519-530.

Wargent, E. T., Zaibi, M. S., Silvestri, C., Hislop, D. C., Stocker, C. J., Stott, C. G.,

Guy, G. W., Duncan, M., Di Marzo, V., and Cawthorne, M. A. (2013). The cannabinoid Δ(9)tetrahydrocannabivarin (THCV) ameliorates insulin sensitivity in two mouse models of obesity. Nutr Diabetes *3*, e68.

Watson, J. L., Hill, R., Lee, P. W., Giacomantonio, C. A., and Hoskin, D. W. (2008). Curcumin induces apoptosis in HCT-116 human colon cancer cells in a p21-independent manner. Exp Mol Pathol *84*, 230-233.

West, A. P., Brodsky, I. E., Rahner, C., Woo, D. K., Erdjument-Bromage, H., Tempst, P., Walsh, M. C., Choi, Y., Shadel, G. S., and Ghosh, S. (2011). TLR signalling augments macrophage bactericidal activity through mitochondrial ROS. Nature *472*, 476-480.

Whalley, B., Williams, C., and Stephens, G. (2013). Use of the phytocannabinoid cannabidiol (cbd) in combination with a standard anti-epileptic drug (saed) in the treatment of epilepsy. In, (United States of America: Otsuka pharmaceuticals Co, LtdGW Pharma Ltd) US patent: US 13/977,766.

Whalley, B. J., Wilkinson, J. D., Williamson, E. M., and Constanti, A. (2004). A novel component of cannabis extract potentiates excitatory synaptic transmission in rat olfactory cortex in vitro. Neurosci Lett *365*, 58-63.

Whiteside, G. T., Lee, G. P. and Valenzano, K. J. (2007) 'The role of the cannabinoid CB2 receptor in pain transmission and therapeutic potential of small molecule CB2 receptor agonists', *Curr Med Chem*, 14(8), 917-36.

Witt, O., Deubzer, H. E., Milde, T., and Oehme, I. (2009). HDAC family: What are the cancer relevant targets? Cancer Lett *277*, 8-21.

Wood, T. B., Spivey, W. T. N., and Easterfield, T. H. (1899). Cannabinol, Part I. The Journal of the Chemical Society, Transactions *75*, 20-36.

Woods, A., Cheung, P. C., Smith, F. C., Davison, M. D., Scott, J., Beri, R. K., and Carling, D. (1996). Characterization of AMP-activated protein kinase beta and gamma subunits. Assembly of the heterotrimeric complex in vitro. J Biol Chem *271*, 10282-10290.

Woods, A., Vertommen, D., Neumann, D., Turk, R., Bayliss, J., Schlattner, U., Wallimann, T., Carling, D., and Rider, M. H. (2003). Identification of phosphorylation sites in AMPactivated protein kinase (AMPK) for upstream AMPK kinases and study of their roles by sitedirected mutagenesis. J Biol Chem *278*, 28434-28442.

Wu, S. B., and Wei, Y. H. (2012). AMPK-mediated increase of glycolysis as an adaptive response to oxidative stress in human cells: implication of the cell survival in mitochondrial diseases. Biochim Biophys Acta *1822*, 233-247.

Xiong, W., Cui, T. X., Cheng, K. J., Yang, F., Chen, S. R., Willenbring, D., Guan, Y., Pan, H. L., Ren, K., Xu, Y., and Zhang, L. (2012). Cannabinoids suppress inflammatory and neuropathic pain by targeting alpha 3 glycine receptors. Journal of Experimental Medicine *209*, 1121-1134.

Yadav, N., and Chandra, D. (2014). Mitochondrial and postmitochondrial survival signaling in cancer. Mitochondrion *16*, 18-25.

Yang, L., Rozenfeld, R., Wu, D., Devi, L. A., Zhang, Z., and Cederbaum, A. (2014). Cannabidiol protects liver from binge alcohol-induced steatosis by mechanisms including inhibition of oxidative stress and increase in autophagy. Free Radic Biol Med *68*, 260-267.

Yang, Z., Schumaker, L. M., Egorin, M. J., Zuhowski, E. G., Guo, Z., and Cullen, K. J. (2006). Cisplatin Preferentially Binds Mitochondrial DNA and Voltage-Dependent Anion Channel Protein in the Mitochondrial Membrane of Head and Neck Squamous Cell Carcinoma: Possible Role in Apoptosis. Clinical Cancer Research *12*, 5817-5825.

Ye, F., Xui, L., Yi, J., Zhang, W., and Zhang, D. Y. (2002). Anticancer activity of Scutellaria baicalensis and its potential mechanism. J Altern Complement Med *8*, 567-572.

Yi, J., and Luo, J. (2010). SIRT1 and p53, effect on cancer, senescence and beyond. Biochim Biophys Acta *1804*, 1684-1689.

Yu, E. P., and Bennett, M. R. (2014). Mitochondrial DNA damage and atherosclerosis. Trends Endocrinol Metab *25*, 481-487.

Yun, J. and Finkel, T. (2014) 'Mitohormesis', *Cell Metabolism*, 19(5), 757-766.

Zajchowski, L. D., and Robbins, S. M. (2002). Lipid rafts and little caves. Compartmentalized signalling in membrane microdomains. Eur J Biochem *269*, 737-752.

Zajicek, J., Fox, P., Sanders, H., Wright, D., Vickery, J., Nunn, A., Thompson, A., and Group, U. M. R. (2003). Cannabinoids for treatment of spasticity and other symptoms related to multiple sclerosis (CAMS study): multicentre randomised placebo-controlled trial. Lancet *362*, 1517-1526.

Zhang, B. B., Zhou, G., and Li, C. (2009). AMPK: an emerging drug target for diabetes and the metabolic syndrome. Cell Metab *9*, 407-416.

Zhang, F., Zhang, Z., Chen, L., Kong, D., Zhang, X., Lu, C., Lu, Y., and Zheng, S. (2014a). Curcumin attenuates angiogenesis in liver fibrosis and inhibits angiogenic properties of hepatic stellate cells. J Cell Mol Med *18*, 1392-1406.

Zhang, X., Fryknäs, M., Hernlund, E., Fayad, W., De Milito, A., Olofsson, M. H., Gogvadze, V., Dang, L., Påhlman, S., Schughart, L. A. K., et al. (2014b). Induction of mitochondrial dysfunction as a strategy for targeting tumour cells in metabolically compromised microenvironments. Nat Commun *5*.

Zhang, Z., Yamashita, H., Toyama, T., Sugiura, H., Ando, Y., Mita, K., Hamaguchi, M., Hara, Y., Kobayashi, S., and Iwase, H. (2005). Quantitation of HDAC1 mRNA expression in invasive carcinoma of the breast*. Breast Cancer Res Treat *94*, 11-16.