

Opinion

Toward an integrated understanding of animal weapons

Christine W. Miller ^{1,*}, Dominic Cram ², Sarah M. Lane ³, Romain Boisseau ^{4,#}, Sophia Fitzgerald ^{5,#}, Nicole Lopez ^{5,#}, Allen J. Moore ^{6,#}, Christina J. Painting ^{7,#}, Alexandre V. Palaoro ^{8,#}, Michael Ryan ^{9,#}, Ummat Somjee ^{9,#}, Camille Thomas-Bulle ^{4,10,#}, Douglas Emlen ⁵, and David Labonte ¹¹

Animals resolve conflict using an astonishing array of weapons—from electric fields and sonic shock waves to deadly venom and high-impact strikes. Yet, most weapon research has been narrowly focused, for example, only considering mechanical weapons under sexual selection. Furthermore, few studies have examined how weapons are integrated into animal phenotypes. For these reasons, it is not surprising that major questions remain about why weapons have evolved such extraordinary diversity in form and function. By synthesizing insights across weapon modalities and research traditions, we identify key themes for future research on animal weapons and discuss several ways in which research into animal weapons can provide broad insights into evolutionary processes.

Animal weapons provide diverse solutions to conflict

Conflict in nature is not anomalous but rather a central driver of adaptation [1]. **Animal weapons** (see [Glossary](#)) have evolved repeatedly across taxa to aid in the process of resolving conflict. Weapons are traits that can be used to cause physical harm to others in the process of competing for food and mates, subduing prey, and in self-protection. Weapons are highly diverse and come in multiple modalities [2]. Mechanical, chemical, electrical, acoustic, and even thermal traits can act as weapons ([Figure 1](#)). Despite decades of research on animal weapons, key questions remain about how weapon modality, function, and performance interact with ecology, life history, and developmental constraints to contribute to such extraordinary diversity. One barrier to progress has been that research on animal weapons has typically focused narrowly on one modality at a time and on weapons under similar forms of selection [9–12]. We argue that a more expansive view of animal weapons is needed to improve understanding of why nature has come up with such diverse solutions to conflict.

Mechanical weapons are but one type of weapon

Elegant drawings in the Chauvet-Pont d'Arc Cave in France, dated to over 30 000 years before present, depict the horns of woolly rhinoceros (*Coelodonta antiquitatis*), steppe bison (*Bison priscus*), auroch (*Bos primigenius*), and ibex (*Capra ibex*). Many of us picture such mammalian horns, as well as tusks, spurs, and talons, as quintessential examples of animal weapons. We have typically referred to such weapons as morphological weapons because they are expansions or reinforcements of an animal's morphology. Yet the term 'mechanical weapon' may be more appropriate for two reasons. First, when used as weapons, they deliver force via direct contact with an opponent. Second, all animal weapons are associated, to some degree, with morphology. For example, **chemical weapons**, such as **venoms**, are typically produced by glands.

Highlights

Animal weapons include traits such as sharp claws, toxic chemical sprays, and immobilizing electric shocks, showcasing highly diverse solutions to conflict. Yet much is unknown about why such diversity has evolved.

Recent research has highlighted that animal weapons do not operate alone; they are often integrated into phenotypes with a wealth of supportive and compensatory traits.

Weapons often serve multiple functions; their evolution reflects the outcome of multivariate selection rather than optimization for only a single function.

We illustrate how studies of phenotypic integration, multifunctionality, costs, and constraints will both benefit our understanding of weapon evolution and provide insights valuable to the broader field of evolutionary biology.

¹Department of Zoology, University of Cambridge, Cambridge, UK

²University of East Anglia, Norwich, UK

³School of Biological and Marine Sciences, University of Plymouth, Plymouth, UK

⁴Department of Ecology & Evolution, University of Lausanne, Lausanne, Switzerland

⁵Division of Biological Sciences, University of Montana, Missoula, MT, USA

⁶Department of Entomology, University of Georgia, Athens, GA, USA

⁷Te Aka Mātuatua School of Science, University of Waikato, Hamilton, New Zealand

⁸Department of Zoology, Universidade Federal do Paraná (UFPR), Curitiba, Brazil





Trends in Ecology & Evolution

Figure 1. Five weapon modalities (from left to right). Mechanical weapons are used to transfer potentially damaging forces via direct physical contact and include structures such as the canines of the olive baboon, *Papio anubis* [3]. Snails in the genus *Conus* use a chemical weapon delivered via a small harpoon to subdue prey [4]. Electrical weapons include the electrical discharge of electric eels, genus *Electrophorus*. This weapon first stimulates prey to move and so reveal itself, and then to freeze, aiding its capture [5]. Acoustic weapons include the acoustic shock waves produced by pistol shrimp and other snapping shrimp in the family Alpheidae. To employ this weapon, a specialized claw is rapidly shut. The collapse of a cavitation bubble generates an acoustic shock wave with extremely high sound pressure levels, reaching up to 218 dB [6]. The shock wave can kill and injure both prey and conspecific competitors. Thermal weapons include the process by which Japanese honeybees, *A. c. japonica*, ‘cook’ their enemy. When a predatory Asian hornet is captured, numerous bees rapidly engulf the hornet in a ball. They vibrate their wing muscles to produce heat, reaching 47°C, which proves lethal to the hornet but not to the bees [7,8]. While five weapon modalities are featured here, we do not claim this list of modalities is complete. Illustrations by A. Whitney Fletcher.

⁹Department of Integrative Biology,
University of Texas, Austin, TX, USA

¹⁰Department of Biological Sciences,
University of Denver, Denver, CO, USA

¹¹Department of Bioengineering,
Imperial College London, London, UK

#Denotes equal contributions.

*Correspondence:
cwm30@cam.ac.uk (C.W. Miller).

When Japanese honeybees (*Apis cerana japonica*) ‘cook’ their predators, they use vibrating muscles (Figure 1). Thus, for clarity, we will hereafter refer to weapons as mechanical weapons if they are used directly to deliver force.

Our human visual bias makes it simple to identify mechanical weapons and appreciate their immense diversity, especially when they are extensions from the body [9]. Unsurprisingly, such weapons have received much attention in theoretical and empirical research. However, mechanical weapons are but one modality of animal weaponry (Figure 1).

Considering multiple weapon modalities simultaneously is important. Moreover, the field of evolutionary biology as a whole stands to benefit from research into the wide diversity of animal weapons, a topic we discuss later in this opinion article. Too often in science, traits and phenomena are studied with a narrow focus. In doing so, we lose the opportunity for a broad, coherent, and structured understanding of the complexities of living systems. New generalizations and predictive frameworks can emerge when commonalities are recognized and when fields of study are inspired by each other [13].


Mechanical weapon composition, structure, and the ability to withstand battle

Weapon modalities have typically been studied in isolation, but there is much to gain from a unified perspective. We provide, as an example, how approaches from the study of chemical weapons might benefit those studying mechanical weapons.

The composition of chemical weapons is clearly paramount for their effectiveness. A well-known chemical weapon is venom. Cone snails (Genus: *Conus*) use venom to hunt fish, and their venom contains a mix of multiple paralytic components. Yet, these compounds are insufficient to rapidly immobilize prey; excitotoxins and other compounds must be involved too. In fact, many species have an entire suite of toxins that act differently in the envenomated fish to increase the likelihood of a successful hunt; at least approximately 50 000 different conotoxins exist in the *Conus* genus [4,14].

The composition of chemical weapons is often characterized in exquisite detail, with inquiry into the role that each existing compound plays in the weapon’s efficacy [15]. In contrast to chemical

weapons, mechanical weapons are typically characterized simply by size, general descriptors of shape, and location on the body—rather than directly by what makes them successful in physical conflict. Yet, selection on these weapons should be no less intricate and no less potent in improving efficacy. Over evolutionary time, mechanical weapons are at least occasionally, and often frequently, tested in battle [11]. As such, their ability to transfer and withstand forces is a crucial part of their functioning and diversity, and many show the evolutionary hallmarks of generations upon generations of selection via physical combat. For example, the antlers of elk (*Cervus canadensis*) are one of the toughest biological composites known [15]. Studies examining force, internal architecture, and material composition of mechanical weapons are beginning to gain traction, with a focus primarily on mammals [16–18] (Figure 2) and crustaceans [21–23] (Figure 3). These properties are valuable to understand broadly because they set upper limits on mechanical weapon size and can reveal trade-offs between durability, weight, and energetic costs. Just like the composition of chemical weapons, the composition of mechanical weapons can be a less visible aspect of their biodiversity, but undoubtedly, it is one of the most important to fitness.



Trends in Ecology & Evolution

Figure 2. The weapon system of bighorn sheep (*O. canadensis*). In the cool autumn air in North America, the breath of bighorn sheep is visible as males assess, push, and kick each other. As contests escalate, males rear up on their hindlegs and crash their head into that of their opponent (above) at a speed that can reach 9 m/s. Mechanical weapons, the horns and the skull, provide the primary points of contact, supporting an impact force up to 3400 N [19] (below). The tapered spiral geometry of the horn and the spongy trabecular bone material within the horn and skull serve to absorb impact [18,20]. Weapon-supportive traits may include physiological modifications, such as modulation of hormones and metabolic rate, and adaptations of the sensory system which allow males to evaluate opponents and decide which males to attack. Illustrations by David Tuss.

Glossary

Animal weapon: a trait that can be used to cause physical harm to others in the context of competitive or agonistic interactions.

Chemical weapon: biologically produced chemical substances that can harm other organisms, generally used to facilitate feeding or to deter predators or competitors.


Sexually selected weapon: a weapon can be described as sexually selected if variation in its expression has led to fitness differences associated with nonrandom success in the competition for access to gametes for fertilization, based on [3].

Venom: a multicomponent chemical weapon often comprised of proteins and peptides that is actively injected to interfere with the homeostatic processes of others. Venoms are typically more complex in composition than other chemical weapons.

Weapon compensatory trait: mitigates the costs associated with the development, use, or maintenance of weapons.

Weapon-supportive trait: enables weapon function and improves their effectiveness.

Weapon system: includes one or more animal weapons alongside their array of weapon-supportive traits.



Trends in Ecology & Evolution

Figure 3. Insights gained from the study of animal weapons can be broadly informative to the field of evolutionary biology. Animal weapons are often under strong selection to drive fitness gains via, for example, competition over access to potential mates, prey capture, and predator defense. (A) Tight phenotypic integration across multiple weapon components and supportive traits is thus expected. For example, weapon components evolve in a correlated manner in the leaf-footed bugs, suggesting certain trait combinations improve function [24]. In some cases, the degree of phenotypic integration may be compromised by (B) multivariate selection due to multifunctionality, a problem not unique to weapons. However, animal weapons can provide examples of innovative evolutionary solutions to competing functions. For example, fiddler crabs (family: Ocypodidae) use their claws for signaling, fighting, and defense. (C) Long claws are more visible and better for signaling, but these claws deliver weaker squeezing force at the tips. Some species have evolved both long claw length and a means to deliver greater squeezing force—a catching arch and tubercles midway along the length—an overall design that is successful in both signaling and fighting [25]. Animal weapons that also serve as signals are under intricate selection to convey information. Our diagrammatic adaptation of Shannon's Information Theory (D) [26] illustrates that many steps are involved in signaling systems. Information, such as resource holding potential, is conveyed to a receiver through a transmitter, in this case the antlers of cervids such as elk or red deer. The signal is affected by noise, which may add further distortion. Sensory perception is then subject to interpretation, which may be affected by neurological biases. In these examples, we feature large sexually selected mechanical weapons for visual clarity, but these principles apply to weapons across sizes, modalities, and mechanisms of selection. Figure created by Miranta Kouvari, Melissa Morales, and Emily Green from Science Graphic Design.

Weapons function as systems integrated within the phenotype

A venom may have a complex chemical composition, but it would be of little use without a venom-delivery mechanism, such as a bite or a sting [27]. Weapons of all modalities rely upon **weapon-supportive traits** to be effective [28]. Bombardier beetles (genus: *Brachinus*) squirt a nearly 100°C irritating mixture of benzoquinones from their abdomen, serving as both a thermal and a chemical weapon. This potent weapon relies on glands that produce and store hydrogen peroxide and hydroquinones separately. When the beetle is disturbed, it mixes the contents of the two glands in a heat-resistant chamber in the presence of catalysts. The reaction generates heat and gas, driving an emission that can be fatal to attacking insects [29]. In this example, the morphological glands, the chemical catalysts, and the behavior of directing the emission all serve as weapon-supportive traits.

Weapon-supportive traits are also on clear display in bighorn sheep (*Ovis canadensis*). During the mating season, the crashing of male horns against horns can be heard echoing throughout canyons in North America. Males rear up and deliver blows with an impact force more than five times the load required to crack a human skull. Horns would be of little use without combat behaviors, as well as a suite of morphological and physiological modifications throughout the body that together serve as weapon-supportive traits [16] (Figure 2).

Weapons and their supportive traits together comprise **weapon systems**. Weapon systems should be under strong selection for phenotypic integration because the coordinated deployment of these systems can be tightly linked to fitness [30]. Phenotypically integrated systems are not rare in the natural world, and studies into weapon integration can both inform and gain from our understanding of other systems. For example, petal size, shape, color, nectar production, and stamen/pistil length can be tightly correlated in flowering plants. These traits are genetically and functionally linked because they collectively affect how well specific pollinators can access and transfer pollen. Researchers have found that selection acts on the whole trait complex, not on each trait independently [31]. Promising future directions in the study of phenotypic integration in weapon systems include investigating how complex suites of traits are coordinated and how this coordination influences an organism's ability to adapt to new challenges (Figures 2 and 3).

Weapons are multifunctional

Weapon systems typically act in an integrated fashion, but often the integration must be flexible enough to allow some degree of multifunctionality. Indeed, multifunctionality in animal weapons is more the rule than the exception. Consider the following examples: Cnidarian sea anemones (order: *Actiniaria*) have evolved a versatile venom system that is used to hunt, to engage in conspecific territorial disputes, and for defense [32]; the canine teeth of wolves, *Canis lupus*, are used as an informative signal to conspecifics, in same-sex physical combat, to subdue prey, to shear meat off bones during feeding, and in carcass defense against heterospecifics [33,34]; many leaf-footed bugs (family: Coreidae) use their hind limbs both for fighting and for locomotion [24]; and the enlarged mandibles of the male Auckland tree wētā, *Hemideina thoracica*, are used in fights over females and in foraging [35]. The widespread multifunctionality of weapons means that their evolution reflects the cumulative outcome of often competing selective pressures, rather than optimization for any single function [25]. Resulting dynamics could contribute to both the extraordinary diversity of animal weapons and their striking evolutionary lability, including repeated reduction and loss.

Behavior may take the lead in weapon elaboration and diversification

Interestingly, integrated weapon systems do not always include obvious weapons [36]. For example, fighting in the common bottlenose dolphin, *Tursiops truncatus*, involves ramming,

scraping with nonexaggerated teeth, body slaps, and endurance [37]. Ring doves, *Streptopelia risoria*, engage in wing slapping and chest bumping [38]. *Drosophila melanogaster* fruit flies tap or push each other using their forelegs [39]. In these cases, animal bodies show no obvious signs of anatomical modification. Such examples highlight that behavior can take the lead in the initial elaboration of animal weapons by shaping the selective environments that individuals experience [40,41].

Once a weapon begins to take form, behavior likely contributes to its elaboration and diversification. For example, African antelope (family: Bovidae) exhibit spectacular horn diversity across species. This evolutionary diversification is likely at least partially due to differences in fighting styles and signaling, which resulted from habitat changes after the last ice age. Open habitats may have resulted in greater long-distance visibility, with this visibility leading to selection for large, lateral weapons that are conspicuous to rivals over long distances. In contrast, closed habitats likely led to smaller, forward-facing weapons, where evaluation of a rival would occur over short distances and where wide horns would get tangled in vegetation [42,43].

Changes in habitat and the fighting environment may stimulate large changes in how animals engage with each other. However, individuals within a species and in a single context also often exhibit differences in combat styles [44]. Some individuals will direct and wield weapons more effectively (i.e., more skillfully) in a certain context than others, yet the role of skill in contest success is largely unknown [45]. We also do not know how skills are acquired. Do skillful parents produce skillful offspring? Are skills refined, for example, through battle experience or juvenile play behavior? Foraging skill can be socially learned, allowing innovations to rapidly spread through populations [46], but whether the same applies to fighting skill remains unclear. Future studies should examine if individuals can improve their fighting skill from watching others fight and if first-hand experience leads to more skillful maneuvers. Slight changes in how weapons are used by individuals should, over time, lead to evolutionary changes in weapon form and composition, as well as changes in how weapons are supported by the body as a whole. Such changes can sum up to substantial diversification in weapon systems.

Weapons as signals and the resulting consequences for diversification

Many weapons are used as signals of vigor, fighting ability, or agonistic intention. Signaling can help minimize the costs and risks of contests by allowing an evaluation of probable outcomes, which can halt physical conflict before further escalation [47,48]. When a weapon is used as a signal, this process can contribute to weapon evolution and, eventually, diversification. This can occur in three different ways.

First, an honest signal of aggression can generate selection on itself by altering the social environment. This process can cause strong selection and runaway evolution [49]. Second, selection via signaling can lead to the evolution of different weapon features than selection via physical conflict alone (Figure 3) [25]. Third, for a weapon to serve as a signal, it must be perceived. Yet, perception is rarely perfect. We know very little about the sensory and cognitive underpinnings involved in the assessment of weapons by rivals [50]. In some cases, there will be a disconnect between the information perceptually gleaned from the signal and the weapon's true effectiveness in battle (Figure 3D) [51,52]. For example, ambient environmental conditions, such as the amount or quality of light filtering through a canopy of vegetation, may affect the visual perception of individuals [50,53]. Furthermore, accurate interpretation of weapons that are absolutely larger may require greater relative differences in the weapons being assessed (Weber's law) [54]. We know that in a number of domains, such as foraging, mate choice, mimicry, and predator avoidance (reviewed in [54]), such assessments are based on proportional rather than linear differences. Weber's law

predicts that as the absolute size of items being compared increases, the proportional differences must be greater to allow discrimination (just noticeable differences). Thus, in agonistic encounters, the outcome of physical interactions might be predicted by differences in size on a linear scale, while assessment might be based on a proportional scale. It is possible, then, that perceptual processes might bias individuals into making incorrect decisions about potential outcomes of fights. Altogether, assessment bias is expected to be a factor influencing weapon evolution and diversification.

Costs and constraints have consequences for weapon diversification

The benefit of possessing weapons is often apparent in this conflict-filled world. Thus, it can seem surprising when animals lose or reduce weapons over evolutionary time [55]. Phylogenetic comparative analyses have shown that weapons are highly labile; they can increase in size and complexity, yet, equally so, they readily disappear [24,55,56]. To fully understand weapon diversification, it is essential to consider why weapons, with all their advantages, may become reduced, less robust, or even lost over evolutionary time.

Venom, for example, is a dynamically evolving weapon, and the loss of genetic capacity to produce certain component toxins is surprisingly common [15,57]. The composition of venom actively coevolves with the physiology of prey and competitors in a coevolutionary arms race. As recipients become resistant, there may be strong selection for novel components with greater efficacy. Components that are less effective, in turn, are expected to be lost if there is a cost to their production, maintenance, and/or storage [58].

Weapons, especially **sexually selected weapons**, can be associated with steep metabolic and survival costs [59,60] and sexually antagonistic effects [61]. The weapon cost–benefit relationship may be altered by biotic and abiotic environmental changes, such as resource defensibility, habitat structure, temperature stress, or parasite load—all of which can vary readily across space and time. In some such contexts, the costs of weapons can exceed their benefits. When this occurs, selection will reverse weapon elaboration and lead to weapon loss.

Weapon reduction or loss is not necessarily the only outcome when weapons are costly. Instead, selection may lead to the evolution of **weapon compensatory traits** [62–64]. Weapon compensatory traits can be distinguished from supportive traits in that they alleviate costs that are not directly linked to effective weapon deployment, such as the energetic costs of walking or flying with large horns or mandibles. Compensation may manifest as novel or modified structures, physiology, behavior, or performance [62]. For example, electric eels (genus: *Electrophorus*) can generate large electrical discharges—up to 600 V—without injuring themselves [5]. The ability to avoid self-electrocution is hypothesized to be due to compensatory traits, including the ability to control and channel electricity. These traits include the separation and insulation of electric organs and the ability to reduce current flow within the body. Similarly, snapping shrimp (family: Alpheidae) have evolved helmets that protect their brains by dampening acoustic shock waves produced by themselves and others [6].

Weapon diversification is not only shaped by costs; it can also be shaped by constraints such as those arising from phylogeny, architecture, and development [65]. Such constraints may at least partially explain why some taxa have evolved chemical instead of acoustic weapons, and why weapons are found only in certain locations on the body. Biomechanical constraints may help explain why the evolution of weapons in highly flight-dependent species is limited. For example, specialized weapons are rare in bird species that rely on efficient flight as their main form of locomotion [66]. Furthermore, even though male damselflies (suborder: Zygoptera) and butterflies (superfamily: Papilionoidea) compete for territories, they do so while lacking obvious weapons [67,68]. Instead, such animals, as well as the dolphin, dove, and fruit fly mentioned earlier, engage

in conflict using wings, beaks, teeth, and tails that may show little indication of being modified for fighting.

Animal weapons provide a framework for understanding the evolution of complex, integrated phenotypes

Animal weapons are commonly extreme in their phenotypic elaboration and their physiological demands on the body. Such extremes often result in clear impacts on fitness [9]. Weapons are well positioned for testing general theory across evolutionary biology not only for these reasons but also because they are directly involved in social interactions, tightly integrated with physiology and behavior, often easily measurable, and highly variable within and across populations. In Figure 3, we highlight four areas discussed in this opinion article where weapons may be particularly informative to the field of evolutionary biology as a whole.

Concluding remarks

Conflict is rife in nature, and animal weapons showcase highly diverse solutions to conflict. Yet, research has frequently focused on a narrow subset of highly visible mechanical traits, often studied in isolation and under similar selective contexts. By adopting a broader perspective that integrates multiple weapon modalities, we argue that animal weapons are best understood as distinct evolutionary solutions to conflict that nonetheless share common underlying principles (see Outstanding questions). Across modalities, weapons are shaped by selection on performance, embedded within integrated phenotypic systems, and constrained by costs, trade-offs, and limits imposed by development, biomechanics, and perception. As such, they hold much potential for providing insights to the field of evolutionary biology as a whole.

A key insight emerging from this synthesis is that weapons do not evolve alone. Their efficacy and elaboration depend on suites of weapon-supportive and compensatory traits, including behavior and skill, which may facilitate or constrain morphological elaboration. Moreover, the widespread multifunctionality of weapons means that their evolution reflects the cumulative outcome of often competing selective pressures rather than optimization for any single function. These dynamics contribute to both the extraordinary diversity of animal weapons and their striking evolutionary lability, including repeated reduction and loss. Ultimately, the diversity we see in animal weapons is likely due to many factors operating in concert.

Future progress in our understanding of animal weapons and our ability to gain broad evolutionary insights from weapons, will be enhanced by the use of experimental and comparative approaches that bridge research traditions. Integrating biomechanics, physiology, behavior, and phylogenetics, and considering multiple weapon modalities, will allow researchers to move beyond descriptive classifications toward broadly predictive frameworks for weapon evolution. Such approaches promise not only to clarify why particular weapon types evolve in some lineages and not others but also to illuminate general principles of phenotypic integration, adaptation, and diversification. In this way, animal weapons provide a powerful lens through which to understand the evolution of complex biological systems.

Acknowledgments

We used the Delphi technique to generate ideas. This work was inspired by the US National Science Foundation Grant number: IOS-2226881 to C.W.M. and the Brazil National Council for Scientific and Technological Development Grant number: 407090/2025-8 to A.V.P. Many thanks to Janice Yan for providing comments on a previous version of this text.

Declaration of interests

The authors declare no competing interests.

Outstanding questions

To what degree are evolutionary principles shared across different weapon modalities? Explicit comparisons across mechanical, chemical, electrical, acoustic, and thermal weapons is needed to determine to what degree common rules govern performance, costs, and diversification.

Does phenotypic integration constrain or facilitate the evolutionary responses of weapon systems to environmental change? Weapons are often ineffective without phenotypic integration among components and supportive traits. When selection acts on one component, does this result in poorly functioning intermediates, slowing the evolutionary response? Or does selection result in coordinated changes in the entire suite of traits?

What are the evolutionary consequences of weapon multifunctionality? Because many weapons serve multiple roles, future research should examine how competing selective pressures shape trade-offs, constrain optimization, and reduce phenotypic integration within weapon systems.

How are weapon mechanics shaped by ecological contexts and phenotypic plasticity? Evolutionary biomechanics has often taken a macroevolutionary view. However, the ecological contexts where weapons are grown and used should affect weapon performance and modify evolutionary trajectories.

How do mechanical strength and skill intersect? Combat outcomes are often understood as the result of mechanical constraints: more muscle, greater force, and therefore a higher likelihood of victory. But skill, learning, and experience may compensate for material disadvantage—a skilled fighter may yet defeat an opponent that is better-armed, but less skilled. The role of skill thus creates an unresolved tension: to what extent can it temper the supposed dominance of mechanical constraints?

References

- Emlen, D.J. (2014) *Animal Weapons: The Evolution of Battle*, Henry Holt and Company
- Lane, S.M. (2018) What is a weapon? *Integr. Comp. Biol.* 58, 1055–1063
- Packer, C. (1979) Male dominance and reproductive activity in *Papio anubis*. *Anim. Behav.* 27, 37–45
- Terlau, H. *et al.* (1996) Strategy for rapid immobilization of prey by a fish-hunting marine snail. *Nature* 381, 148–151
- Catania, K.C. (2019) The astonishing behavior of electric eels. *Front. Integr. Neurosci.* 13, 23
- Kingston, A.C. *et al.* (2022) Snapping shrimp have helmets that protect their brains by dampening shock waves. *Curr. Biol.* 32, 3576–3583.e3573
- Ono, M. *et al.* (1995) Unusual thermal defence by a honeybee against mass attack by hornets. *Nature* 377, 334–336
- Stabentheiner, A. *et al.* (2007) Thermal behaviour of honeybees during aggressive interactions. *Ethology* 113, 995–1006
- Emlen, D.J. (2008) The evolution of animal weapons. *Annu. Rev. Ecol. Syst.* 39, 387–413
- Geist, V. (1966) The evolution of horn-like organs. *Behaviour* 27, 175–214
- McCullough, E.L. *et al.* (2016) Why sexually selected weapons are not ornaments. *Trends Ecol. Evol.* 31, 742–751
- Palaoro, A.V. and Peixoto, P.E.C. (2022) The hidden links between animal weapons, fighting style, and their effect on contest success: a meta-analysis. *Biol. Rev.* 97, 1948–1966
- Wilson, E.O. (1998) *Consilience: The Unity of Knowledge*, Alfred A. Knopf
- Olivera, B.M. and Cruz, L.J. (2001) Conotoxins, in retrospect. *Toxicon* 39, 7–14
- Dowell, N.L. *et al.* (2016) The deep origin and recent loss of venom toxin genes in rattlesnakes. *Curr. Biol.* 26, 2434–2445
- Kitchener, A. (1988) An analysis of the forces of fighting of the blackbuck (*Antelope cervicapra*) and the bighorn sheep (*Ovis canadensis*) and the mechanical design of the horn of bovids. *J. Zool.* 214, 1–20
- Launey, M.E. *et al.* (2010) Mechanistic aspects of the fracture toughness of elk antler bone. *Acta Biomater.* 6, 1505–1514
- Wheatley, B.B. *et al.* (2023) How the geometry and mechanics of bighorn sheep horns mitigate the effects of impact and reduce the head injury criterion. *Bioinspir. Biomim.* 18, 026005
- Huang, W. *et al.* (2017) Hierarchical structure and compressive deformation mechanisms of bighorn sheep (*Ovis canadensis*) horn. *Acta Biomater.* 64, 1–14
- Drake, A. *et al.* (2016) Horn and horn core trabecular bone of bighorn sheep rams absorbs impact energy and reduces brain cavity accelerations during high impact ramming of the skull. *Acta Biomater.* 44, 41–50
- Patek, S.A. and Caldwell, R. (2005) Extreme impact and cavitation forces of a biological hammer: strike forces of the peacock mantis shrimp *Odontodactylus scyllarus*. *J. Exp. Biol.* 208, 3655–3664
- Qian, Z. *et al.* (2018) Structure, mechanical properties and surface morphology of the snapping shrimp claw. *J. Mater. Sci.* 53, 10666–10678
- Swanson, B.O. *et al.* (2013) Evolutionary variation in the mechanics of fiddler crab claws. *BMC Evol. Biol.* 13, 137
- Miller, C.W. *et al.* (2024) The evolution of multi-component weapons in the superfamily of leaf-footed bugs. *Evolution* 78, 635–651
- Dennenmoser, S. and Christy, J.H. (2013) The design of a beautiful weapon: compensation for opposing sexual selection on a trait with two functions. *Evolution* 67, 1181–1188
- Shannon, C.E. (1948) A mathematical theory of communication. *Bell Syst. Tech. J.* 27, 379–423
- Jenner, R.A. *et al.* (2025) What is animal venom? Rethinking a manipulative weapon. *Trends Ecol. Evol.* 40, 852–861
- Okada, Y. *et al.* (2012) Effect of weapon-supportive traits on fighting success in armed insects. *Anim. Behav.* 83, 1001–1006
- Eisner, T. and Aneshansley, D.J. (1999) Spray aiming in the bombardier beetle: photographic evidence. *Proc. Natl. Acad. Sci. U. S. A.* 96, 9705–9709
- Husak, J.F. *et al.* (2009) The fitness advantage of a high-performance weapon. *Biol. J. Linn. Soc.* 96, 840–845
- Herrera, C.M. (2001) Deconstructing a floral phenotype: do pollinators select for corolla integration in *Lavandula latifolia*? *J. Evol. Biol.* 14, 574–584
- Menezes, C. and Thakur, N.L. (2022) Sea anemone venom: ecological interactions and bioactive potential. *Toxicon* 208, 31–46
- Harrington, F.H. *et al.* (2003) Wolf communication. In *Wolves: Behavior, Ecology, and Conservation* (Mech, L.D. and Boitani, L., eds), pp. 66–103, University of Chicago Press
- Tallian, A. *et al.* (2022) Of wolves and bears: seasonal drivers of interference and exploitation competition between apex predators. *Ecol. Monogr.* 92, e1498
- Farnworth, B. *et al.* (2023) Exaggerated mandibles are correlated with enhanced foraging efficacy in male Auckland tree wētā. *Biol. Lett.* 19, 20230207
- Guo, X. and Dukas, R. (2020) The cost of aggression in an animal without weapons. *Ethology* 126, 24–31
- Scott, E.M. *et al.* (2005) Aggression in bottlenose dolphins: evidence for sexual coercion, male-male competition, and female tolerance through analysis of tooth-rake marks and behaviour. *Behaviour* 142, 21–44
- Vowles, D. and Harwood, D. (1966) The effect of exogenous hormones on aggressive and defensive behaviour in the ring dove (*Streptopelia risoria*). *J. Endocrinol.* 36, 35–51
- Dierick, H.A. (2007) A method for quantifying aggression in male *Drosophila melanogaster*. *Nat. Protoc.* 2, 2712–2718
- Oliverworth, R.A. (2009) The role of behavior in evolution: a search for mechanism. *Evol. Ecol.* 23, 513–531
- Wcislo, W.T. (2021) A dual role for behavior in evolution and shaping organismal selective environments. *Annu. Rev. Ecol. Syst.* 52, 343–362
- Bro-Jørgensen, J. (2007) The intensity of sexual selection predicts weapon size in male bovids. *Evolution* 61, 1316–1326
- Lundrigan, B. (1996) Morphology of horns and fighting behavior in the family Bovidae. *J. Mammal.* 77, 462–475
- Caton, N.R. and Dixon, B.J. (2022) Human third-party observers accurately track fighting skill and vigour along their unique paths to victory. *Sci. Rep.* 12, 14841
- Briffa, M. and Lane, S.M. (2017) The role of skill in animal contests: a neglected component of fighting ability. *Proc. R. Soc. B Biol. Sci.* 284, 20171596
- Aplin, L.M. *et al.* (2015) Experimentally induced innovations lead to persistent culture via conformity in wild birds. *Nature* 518, 538–541
- Searcy, W.A. and Nowicki, S. (2010) *The Evolution of Animal Communication: Reliability and Deception in Signaling Systems*, Princeton University Press
- Smith, J.M. (1974) The theory of games and the evolution of animal conflicts. *J. Theor. Biol.* 47, 209–221
- Moore, A.J. *et al.* (2022) Runaway evolution from male-male competition. *Ecol. Lett.* 25, 295–306
- Ryan, M.J. and Cummings, M.E. (2013) Perceptual biases and mate choice. *Annu. Rev. Ecol. Syst.* 44, 437–459
- Backwell, P.R. *et al.* (2000) Dishonest signalling in a fiddler crab. *Proc. Biol. Sci.* 267, 719–724
- Caves, E.M. *et al.* (2018) Categorical perception of colour signals in a songbird. *Nature* 560, 365–367
- Endler, J.A. (1993) The color of light in forests and its implications. *Ecol. Monogr.* 63, 1–27
- Akre, K.L. and Johnsen, S. (2014) Psychophysics and the evolution of behavior. *Trends Ecol. Evol.* 29, 291–300
- Wiens, J.J. (2001) Widespread loss of sexually selected traits: how the peacock lost its spots. *Trends Ecol. Evol.* 16, 517–523
- van Kleck-Hann, M. and Wiens, J.J. (2023) Macroevolution of sexually selected weapons: weapon evolution in chameleons. *Evolution* 77, 2277–2290
- Surm, J.M. *et al.* (2024) Venom trade-off shapes interspecific interactions, physiology, and reproduction. *Sci. Adv.* 10, eadk3870
- Evans, E.R. *et al.* (2019) Venom costs and optimization in scorpions. *Front. Ecol. Evol.* 7, 196

How does perception and interpretation influence the evolution of weapons as signals?

Sensory and cognitive limitations may decouple weapon appearance from contest performance, potentially shaping diversification through imperfect assessment.

59. Joseph, P.N. *et al.* (2018) Males that drop a sexually selected weapon grow larger testes. *Evolution* 72, 113–122
60. Somjee, U. *et al.* (2018) The hidden cost of sexually selected traits: the metabolic expense of maintaining a sexually selected weapon. *Proc. Biol. Sci.* 285, 20181685
61. Łukasiewicz, A. *et al.* (2020) Sexually selected male weapon is associated with lower inbreeding load but higher sex load in the bulb mite. *Evolution* 74, 1851–1855
62. Husak, J.F. and Swallow, J.G. (2011) Compensatory traits and the evolution of male ornaments. *Behaviour* 148, 1–29
63. Oufiero, C. and Garland, T., Jr. (2007) Evaluating performance costs of sexually selected traits. *Funct. Ecol.* 21, 676–689
64. Weber, J.N. *et al.* (2023) Evolution of horn length and lifting strength in the Japanese rhinoceros beetle *Trypoxylus dichotomus*. *Curr. Biol.* 33, 4285–4297
65. Gould, S.J. and Lewontin, R.C. (1979) The spandrels of San Marco and the Panglossian paradigm: a critique of the adaptationist programme. *Proc. Biol. Sci.* 205, 581–598
66. Menezes, J.C. and Palaoro, A.V. (2022) Flight hampers the evolution of weapons in birds. *Ecol. Lett.* 25, 624–634
67. Kemp, D.J. and Wiklund, C. (2001) Fighting without weaponry: a review of male-male contest competition in butterflies. *Behav. Ecol. Sociobiol.* 49, 429–442
68. Waage, J.K. (1988) Confusion over residency and the escalation of damselfly territorial disputes. *Anim. Behav.* 36, 586–595